

Maximum Performance (MaP) of UNAR-Compliant High-Efficiency Toilet Fixtures

Sorted by Manufacturer

Note: Compiling this listing is a service of the U.S.-Canadian Alliance for Water Efficiency and the California Urban Water Conservation Council. All of the fixtures on this list are believed to meet the requirements of the U.S. EPA WaterSense specification for HETs, although there is no guarantee of such. Those that have been reported to be fully certified to WaterSense by recognized laboratories are identified in the WaterSense column below. NOTE: This listing is NOT the official list of the U.S. EPA's WaterSense Program. For a full description of WaterSense, go to: <http://www.epa.gov/watersense/>






Make	Model Name	Model Number	MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Certified to the U.S. EPA WaterSense Specification for High-Efficiency Toilets	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush on a dual-flush system	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)				
											Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity						
<p>KEY:</p> <p>Flush performance (MaP score)</p> <table border="1"> <tr> <td style="background-color: yellow;">350 grams to 475 grams</td> </tr> <tr> <td style="background-color: orange;">500 grams and more</td> </tr> </table> <p>Type of toilet fixture</p> <table border="1"> <tr> <td style="background-color: pink;">6-L (1.6-gal) Pressure- or power-assist (full flush on a dual-flush system)</td> </tr> <tr> <td style="background-color: lightgreen;">4-L (1.1-gal) Pressure-assist</td> </tr> <tr> <td style="background-color: white;">Gravity-fed</td> </tr> </table>															350 grams to 475 grams	500 grams and more	6-L (1.6-gal) Pressure- or power-assist (full flush on a dual-flush system)	4-L (1.1-gal) Pressure-assist	Gravity-fed
350 grams to 475 grams																			
500 grams and more																			
6-L (1.6-gal) Pressure- or power-assist (full flush on a dual-flush system)																			
4-L (1.1-gal) Pressure-assist																			
Gravity-fed																			
American Standard	Cadet 3 FloWise EL	2832.128: 3014.128 bowl, 4021.128 tank	1,000	WS	2	3	E						HET		F				
American Standard	Cadet 3 FloWise EL ADA	2835.128: 3016.128 bowl, 4021.128 tank; NOTE: this combination is also sold as 3305.128 , which is identified as the "COMPLETE" package and includes bowl, tank, seat, & installation mat'ls as one item or SKU.	1,000	WS	2	3	E	*					HET		F				
American Standard	Cadet 3 FloWise RF	2829.128: 3011.128 bowl, 4021.128 tank	800	WS	2	3	R						HET		F				
American Standard	Compact Cadet 3 FloWise EL ADA	2403.128 (one-piece)	1,000	WS	1	3	E	*					HET		F				
American Standard	FloWise Dual Flush EL	2479.216: 3067.216 bowl, 4035.216 tank	900	WS	2	2	E		*			HET			F				
American Standard	FloWise Dual Flush EL (insulated tank)	2479.516: 3067.216 bowl, 4035.516 tank(lined)	800	WS	2	2	E		*			HET			F				
American Standard	FloWise Dual Flush EL ADA	2480.216: 3073.216 bowl, 4035.216 tank; NOTE: this combination is also sold as 2566.216 , which is identified as the "COMPLETE" package and includes bowl, tank, seat, & installation mat'ls as one item or SKU.	600	WS	2		E	*	*			HET			F				
American Standard	FloWise Dual Flush EL ADA (insulated tank)	2480.516: 3073.216 bowl, 4035.516 tank (lined); NOTE: this combination is also sold as 2566.516 , which is identified as the "COMPLETE" package and includes bowl, tank, seat, & installation mat'ls as one item or SKU.	500	WS	2	2	E	*	*			HET			F				
American Standard	FloWise EL	2073.013: 3018 bowl, 4023.013 tank (this model to be discontinued & replaced by 2073.014)	550		2	3	E						HET		F				
American Standard	FloWise EL	2073.014: 3018 bowl, 4023.014 tank	750	WS	2	3	E						HET		F				
American Standard	Mainstream FloWise RF	3468.128: 3061.428 bowl, 4061.428 tank	800		2	2	R						HET		F				
Aquadis	Tytane EL	TY350 (one piece)	350		1	2	E		*			HET			F				
Axent-Regatta Water Co.	None EL ADA	AT1203-xx	350	WS	2		E	*					HET		F				
Bolina	Italiana EL	3031: 3031 bowl, 3031 tank	400		2	2	E		*			HET			F				
Briggs	None EL	4208: 4375 bowl, 4484 tank	350	WS	2		E		*			HET			F				

Make	Model Name	Model Number	MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Certified to the U.S. EPA WaterSense Specification for High-Efficiency Toilets	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush on a dual-flush system	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
											Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity		
	KEY:														
	Flush performance (MaP score)														
			350 grams to 475 grams												
			500 grams and more												
	Type of toilet fixture														
			6-L (1.6-gal) Pressure- or power-assist (full flush on a dual-flush system)												
			4-L (1.1-gal) Pressure-assist												
			Gravity-fed												
Briggs	None RF	4207: 4370 bowl, 4484 tank	350	WS	2	-	R		*			HET			F
Capizzi	Turbo Capizzi EL	0778 bowl, 1278 tank	475		2	-	E						HET		F
Capizzi	Turbo Capizzi High Profile EL	0478 bowl, 1578 tank	500		2	-	E						HET		F
Capizzi	Turbo Capizzi Low Profile EL	0478 bowl, 1513 tank	400		2	-	E						HET		F
Capizzi	Turbo Capizzi Low Profile EL ADA	0441 bowl, 1513 tank	500		2	-	E	*					HET		F
Caroma	Adelaide 270 Cube EL	834000 bowl, 814790 tank	700	WS	2	-	E		*			HET			F
Caroma	Adelaide 270 EH Cube RF ADA	825500 bowl, 814790 tank	700	WS	2	-	R	*	*			HET			F
Caroma	Adelaide 270 EH Standard RF ADA	825500 bowl, 814328 tank	700	WS	2	-	R	*	*			HET			F
Caroma	Adelaide 270 Standard EL	834000 bowl, 814328 tank	700	WS	2	-	E		*			HET			F
Caroma	Bondi 270 CC RF	609159 bowl, 726350 tank	600	WS	2	-	R		*			HET			F
Caroma	Bondi 270 EL	609100 bowl, 726350 tank	550	WS	2	-	E		*			HET			F
Caroma	Bondi 270 EL ADA	609120 bowl, 726350 tank	900	WS	2	-	E	*	*			HET			F
Caroma	Bondi 270 RF ADA	607177 bowl, 726350 tank	550	WS	2	-	E	*	*			HET			F
Caroma	Bondi 305 CC RF	609151 bowl, 726350 tank	450	WS	2	-	R		*			HET			F
Caroma	Bondi 305 EL	609130 bowl, 726350 tank	350	WS	2	-	E		*			HET			F
Caroma	Brisbane 270 RF	833900 bowl, 810266 tank	700	WS	2	-	R		*			HET			F
Caroma	Caravelle 1-Piece EL ADA	989668	800	WS	1	-	E	*	*			HET			F
Caroma	Caravelle 270 EL	609100 bowl, 629435 tank	500	WS	2	-	E		*			HET			F
Caroma	Caravelle 270 EL ADA	609120 bowl, 629435 tank	800	WS	2	-	E	*	*			HET			F
Caroma	Caravelle 270 RF	989760: 609159 bowl, 629435 tank	500	WS	2	-	R		*			HET			F
Caroma	Caravelle 270 RF ADA	989770: 609177 bowl, 629435 tank	800	WS	2	-	R	*	*			HET			F
Caroma	Caravelle 305 EL	609130 bowl, 629435 tank	500	WS	2	-	E		*			HET			F
Caroma	Caravelle 305 RF	989680: 609151 bowl, 629435 tank	650	WS	2	-	R		*			HET			F
Caroma	Caravelle One-Piece RF	989646	500	WS	1	-	R		*			HET			F
Caroma	Colonial 270 RF	605310 bowl, 625070 tank	600	WS	2	-	R		*			HET			F
Caroma	Colonial 270 RF	605320 bowl, 625070 tank	700	WS	2	-	R		*			HET			F
Caroma	Reflections 270 EL	609100 bowl, 629530 tank	500		2	-	E		*			HET			F
Caroma	Reflections 270 RF	989720: 609159 bowl, 629530 tank	650		2	-	R		*			HET			F
Caroma	Reflections 305 RF	609151 bowl, 629530 tank	600		2	-	R		*			HET			F
Caroma	Royale 270 EL	609100 bowl, 624530 tank	800	WS	2	-	E		*			HET			F
Caroma	Royale 270 EL ADA	609120 bowl, 624530 tank	850	WS	2	-	E	*	*			HET			F

Make	Model Name	Model Number	MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Certified to the U.S. EPA WaterSense Specification for High-Efficiency Toilets	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush on a dual-flush system	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)				
											Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity						
<p>KEY: Flush performance (MaP score)</p> <table border="1"> <tr><td style="background-color: yellow;">350 grams to 475 grams</td></tr> <tr><td style="background-color: orange;">500 grams and more</td></tr> </table> <p>Type of toilet fixture</p> <table border="1"> <tr><td style="background-color: pink;">6-L (1.6-gal) Pressure- or power-assist (full flush on a dual-flush system)</td></tr> <tr><td style="background-color: lightgreen;">4-L (1.1-gal) Pressure-assist</td></tr> <tr><td>Gravity-fed</td></tr> </table>															350 grams to 475 grams	500 grams and more	6-L (1.6-gal) Pressure- or power-assist (full flush on a dual-flush system)	4-L (1.1-gal) Pressure-assist	Gravity-fed
350 grams to 475 grams																			
500 grams and more																			
6-L (1.6-gal) Pressure- or power-assist (full flush on a dual-flush system)																			
4-L (1.1-gal) Pressure-assist																			
Gravity-fed																			
Caroma	Royale 270 RF	609159 bowl, 624530 tank	600	WS	2	-	R	*	*		HET			F					
Caroma	Royale 270 RF ADA	609177 bowl, 624530 tank	900	WS	2	-	E	*	*		HET			F					
Caroma	Royale 305 EL	609130 bowl, 629530 tank	850	WS	2	-	E	*	*		HET			F					
Caroma	Royale 305 RF	609151 bowl, 624530 tank	600	WS	2	-	R	*	*		HET			F					
Caroma	Sydney 270 EL	609100 bowl, 622320 tank	500	WS	2	-	E	*	*		HET			F					
Caroma	Sydney 270 EL ADA	609120 bowl, 622320 tank	1,000	WS	2	-	E	*	*		HET			F					
Caroma	Sydney 270 RF	609159 bowl, 622320 tank	600	WS	2	-	E	*	*		HET			F					
Caroma	Sydney 270 RF ADA	609177 bowl, 622320 tank	600	WS	2	-	E	*	*		HET			F					
Caroma	Sydney 305 EL	609130 bowl, 622320 tank	500	WS	2	-	E	*	*		HET			F					
Caroma	Sydney 305 RF	609151A bowl, 622320 tank	1,000	WS	2	-	R	*	*		HET			F					
Caroma	Sydney Low Profile 270 EH EL ADA	609120 bowl, 622330 tank	550	WS	2	-	E	*	*		HET			F					
Caroma	Sydney Low Profile 270 EL	609100 bowl, 622330 tank	550	WS	2	-	E	*	*		HET			F					
Caroma	Sydney Low Profile 270 EL ADA	609177 bowl, 622330 tank	650	WS	2	-	E	*	*		HET			F					
Caroma	Sydney Low Profile 270 RF	609159 bowl, 622330 tank	550	WS	2	-	R	*	*		HET			F					
Caroma	Sydney Low Profile 305 EL	609130 bowl, 622330 tank	550	WS	2	-	E	*	*		HET			F					
Caroma	Sydney Low Profile 305 RF	609151A bowl, 622330 tank	500	WS	2	-	R	*	*		HET			F					
Caroma	Sydney Smart 270 EL ADA (NOTE: 1.2-gpf full flush - 0.8-gpf reduced flush)	609120 bowl, 622322 tank	850	WS	2	-	E	*	1.3		HET			F					
Caroma	Sydney Smart 305 RF (NOTE: 1.2-gpf full flush - 0.8-gpf reduced flush)	609151A bowl, 622322 tank	650	WS	2	-	R	*	1.3		HET			F					
Caroma	Tasman 270 RF	989860: 609169 bowl, 800032 tank	550		2	-	R	*	*		HET			F					
Caroma	Walvit EL (ADA optional)	604119 bowl, 227001 tank (concealed in-wall)	500		2	-	E	*	*		HET		R	W					
Cascadian	Toscano EL	C930 bowl, T901 tank	350	WS	2								HET						
Ceramica Industrial De Taubate Ltd	Twister EL	151: 151 bowl, 855 tank	350	WS	2		E						HET	F					
Ceramica Industrial De Taubate Ltd	Twister RF	150: 150 bowl, 855 tank	350	WS	2		R						HET	F					
Cerapure Industries	None EL ADA (one-piece)	C-3432D	350	WS	1		E	*	*		HET			F					
Conrac	None RF	4710BFZ (one piece with insulated tank)	500		1	2.5	R	*	*		HET			F					
Conrac	None RF	4710BFZU (one piece)	600		1	2.5	R	*	*		HET			F					
Conrac	None RF	4720BFZ combination (lined tank)	600		2	2	R	*	*		HET			F					
Conrac	None RF	4720BFZU combination	550		2	2	R	*	*		HET			F					
Crane	Eco Galaxy/Cranada EL	31008: 3372 bowl, 31590 tank	500	WS	2	-	E	*	*		HET			F					

Make	Model Name	Model Number	MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Certified to the U.S. EPA WaterSense Specification for High-Efficiency Toilets	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush on a dual-flush system	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)				
											Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity						
<p>KEY: Flush performance (MaP score)</p> <table border="1"> <tr><td style="background-color: yellow;">350 grams to 475 grams</td></tr> <tr><td style="background-color: orange;">500 grams and more</td></tr> </table> <p>Type of toilet fixture</p> <table border="1"> <tr><td style="background-color: pink;">6-L (1.6-gal) Pressure- or power-assist (full flush on a dual-flush system)</td></tr> <tr><td style="background-color: lightgreen;">4-L (1.1-gal) Pressure-assist</td></tr> <tr><td style="background-color: white;">Gravity-fed</td></tr> </table>															350 grams to 475 grams	500 grams and more	6-L (1.6-gal) Pressure- or power-assist (full flush on a dual-flush system)	4-L (1.1-gal) Pressure-assist	Gravity-fed
350 grams to 475 grams																			
500 grams and more																			
6-L (1.6-gal) Pressure- or power-assist (full flush on a dual-flush system)																			
4-L (1.1-gal) Pressure-assist																			
Gravity-fed																			
Crane	Eco Galaxy/Cranada RF	31007: 3352 bowl, 31590 tank	500	WS	2	-	R		*		HET			F					
Crane	Eco Galaxy/Cranada RF	31067: 3352 bowl, 31593 tank (insulated)	600	WS	2	-	R		*		HET			F					
Crane	Eco Opus III RF	31692: 31562 bowl, 31542 tank	600	WS	2	3	R						HET	F					
Crane	Eco Opus III RF	31693: 31562 bowl, 31543 tank (insulated)	350	WS	2	3	R						HET	F					
Crane	Eco Saratoga Dual RF	31970: 3352 bowl, 31960 tank	350	WS	2		R				HET			F					
Crane	Eco Saratoga EL	31973: 3372 bowl, 31964 tank	500	WS	2		E		*		HET			F					
Crane	Eco Saratoga EL	31980: 3372 bowl, 31960 tank	350	WS	2		E				HET			F					
Crane	Eco Saratoga EL	31986: 3372 bowl, 31966 tank (insulated)	350	WS	2		E				HET			F					
Crane	Eco Saratoga RF	31972: 3352 bowl, 31964 tank	600	WS	2		R		*		HET			F					
Crane	Eco Saratoga RF	31976: 3352 bowl, 31966 tank (insulated)	350	WS	2		R				HET			F					
Crane	Ecomiser Bigfoot EL	38345: 31125 bowl, 31500 tank	1,000	WS	2	-	E			*	HET			F					
Crane	Ecomiser Bigfoot EL ADA	38355: 31128 bowl, 31500 tank	1,000	WS	2	-	E	*		*	HET			F					
Crane	Ecomiser Dual EL	38370: 3827 bowl, 31500 tank	350	WS	2	-	E			*	HET		R	F					
Crane	Ecomiser Dual EL ADA	38400: 3830 bowl, 31500 tank	350	WS	2	-	E	*		*	HET		R	F					
Crane	EcoMiser EL	38340: 3824 bowl, 31500 tank	1,000		2	-	E					HET		F					
Crane	EcoMiser EL	38350: 3825 bowl, 31500 tank	1,000		2	-	E					HET		F					
Crane	EcoMiser EL ADA	38380: 3828 bowl, 31500 tank	1,000		2	-	E	*				HET		F					
Crane	Ecomiser One Bigfoot RF	38335: 31124 bowl, 31500 tank	1,000	WS	2		R			*	HET			F					
Crane	Economiser One Bigfoot EL	31885: 31125 bowl, 31612 tank	1,000	WS	2	-	E					HET		F					
Crane	Economiser One Bigfoot EL ADA	31888: 31128 bowl, 31612 tank	1,000	WS	2	-	E	*				HET		F					
Crane	Economiser One Bigfoot RF	31884: 31124 bowl, 31612 tank	1,000	WS	2	-	R					HET		F					
Crane	Economiser One EL	31945: 3825 bowl, 31612 tank	1,000		2	-	E					HET		F					
Crane	Economiser One EL ADA	31948: 3828 bowl, 31612 tank	1,000		2	-	E	*				HET		F					
Crane	Economiser One RF	31944: 3824 bowl, 31612 tank	1,000		2	-	R					HET		F					
Duravit	2nd Floor (ADA optional)	220509 bowl, 111.335 in-wall tank (Geberit)	350	WS	2	2	S	*	*		HET		R	W					
Duravit	2nd Floor (ADA optional)	220509 bowl, 111.335 in-wall tank (Geberit)	400		2	2	S	*	*		HET		R	W					
Duravit	Caro (ADA optional)	015609 bowl, 111.335 in-wall tank (Geberit)	350	WS	2	2	S	*	*		HET		R	W					
Duravit	Foster (ADA optional)	017509 bowl, 111.335 in-wall tank (Geberit)	350	WS	2	2	S	*	*		HET		R	W					
Duravit	Happy D RF	017009 bowl, 091000-05 tank	600		2	2	R	*	*		HET		R	W					
Duravit	Happy D Wallmount RF	017109 bowl, 111.335 in-wall tank (Geberit)	600		2	2	R	*	*		HET		R	W					
Duravit	Phillipe Starck 2 (ADA optional)	016009 bowl, 111.335 in-wall tank (Geberit)	350	WS	2	2	S	*	*		HET		R	W					

Make	Model Name	Model Number	MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Certified to the U.S. EPA WaterSense Specification for High-Efficiency Toilets	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush on a dual-flush system	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
											Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity		
	KEY: Flush performance (MaP score)														
			350 grams to 475 grams												
			500 grams and more												
	Type of toilet fixture														
			6-L (1.6-gal) Pressure- or power-assist (full flush on a dual-flush system)												
			4-L (1.1-gal) Pressure-assist												
			Gravity-fed												
Duravit	Vero (ADA optional)	221709 bowl, 111.335 in-wall tank (Geberit)	350	WS	2	2	S	*	*		HET			R	W
Eljer	Power 1-G EL	091-7625: 131-7625 bowl; 141-7600 tank	800		2	-	E					HET			F
Eljer	Power 1-G EL ADA	091-7675: 131-7675 bowl; 141-7600 tank	800		2	-	E	*				HET			F
Foremost	AIO RF ADA	AIO1000-R: AIOB1000-R bowl, AIO1000 tank	1,000	WS	2	-	R	*		*	HET				F
Foremost	AIO EL ADA	AIO1000-E: AIOB1000-E bowl, AIO1000 tank	1,000	WS	2	-	E	*		*	HET				F
Foremost	Gemini Dual-Flush RF	TL-2005-L: LL-2005 bowl, T-2005-L tank (lined)	800		2	2	R		*		HET				F
Foremost	Gemini Dual-Flush RF ADA	TL-2100-*L (one-piece)	500		1	2	S	*	*		HET				F
Foremost	None EL	TL-7700HC-HET (model nos. of tank & bowl not provided)	350	WS	2		E						HET		
Foremost	None EL (one-piece)	TL-6100-EYN	350	WS	1		E						HET		
Foremost	None EL ADA	TL-7600HC-HET OR BT6001: LL-7600HC-HET bowl, T-7600-HET tank (ALSO SOLD BY HOME DEPOT AS GLACIER BAY SKU 331-725)	400	WS	2	3	E	*					HET		F
Foremost	None EL ADA	TL-7600HC-HET-*L: LL-7600HC-HET bowl, T-7600HC-HET-*L tank (insulated) (ALSO SOLD as TL-8295-WL)	350	WS	2	3	E						HET		F
Foremost	None RF	TL-7600HC-HETR-*L: LL-7600HC-HETR bowl, T-7600HC-HETR-*L tank (insulated tank)	350	WS	2	3	R						HET		F
Foremost	None RF	TL-7600HC-HETR: LL-7600HC-HETR bowl, T-7600HC-HET tank	350	WS	2	3	R						HET		F
Foremost	Plaza	TL-7107-*L: LL-7107 bowl, T-7107 tank	500	WS	2	2.5	S		*		HET				F
Foremost	Rona Collection EL	TL-8267-WL: LL-8267 bowl, T-8267 tank (lined)	700		2	2.5	S		*		HET				F
Foremost	Total - RF	TT-2010-*L: LL-2010 bowl, T-2010 tank (lined)	600	WS	2	2.5	R		*		HET				F
Foremost	Total EL (one-piece)	TT-2000E-*L (one-piece; insulated tank)	350	WS	1		E						HET		
Gerber	Ultra Dual Flush EL	DF-21-310: 21-374 bowl, DF-28-380 tank	350	WS	2	-	E			*	HET			R	F
Gerber	Ultra Dual Flush EL	DF-21-312: 21-372 bowl, DF-28-380 tank	1,000	WS	2	-	E			*	HET				F
Gerber	Ultra Dual Flush EL	DF-21-314: 21-372 bowl, DF-28-384 tank	1,000	WS	2	-	E			*	HET				F
Gerber	Ultra Dual Flush EL ADA	DF 21-318: 21-377 bowl, DF-28-380 tank	1,000	WS	2	-	E	*		*	HET				F
Gerber	Ultra Dual Flush EL ADA	DF-21-324: 21-377 bowl, DF-28-384 tank	1,000	WS	2	-	E	*		*	HET				F
Gerber	Ultra Dual Flush EL ADA (rear discharge)	DF-21-325: 21-375 bowl, DF-28-380 tank	1,000	WS	2	-	E	*		*	HET			R	F
Gerber	Ultra Dual Flush EL ADA (w/bedpan lugs)	DF 21-319: 21-329 bowl, DF-28-390 tank	1,000		2	-	E	*		*	HET				F
Gerber	Ultra Dual Flush RF	DF-21-302: 21-342 bowl, DF-28-380 tank	1,000	WS	2		R			*	HET				F
Gerber	Ultra Dual Flush RF	DF-21-304: 21-342 bowl, DF-28-384 tank	1,000	WS	2	-	R			*	HET				F
Gerber	Ultra Flush EL	EF-21-310: 21-374 bowl, EF-28-380 tank	350	WS	2		E					HET		R	F

Make	Model Name	Model Number	MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Certified to the U.S. EPA WaterSense Specification for High-Efficiency Toilets	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush on a dual-flush system	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
											Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity		
<p>KEY: Flush performance (MaP score)  350 grams to 475 grams  500 grams and more</p> <p>Type of toilet fixture  6-L (1.6-gal) Pressure- or power-assist (full flush on a dual-flush system)  4-L (1.1-gal) Pressure-assist  Gravity-fed</p>															
Gerber	Ultra Flush EL ADA	EF 21-318: 21-377 bowl, EF-28-380 tank	800	WS	2	-	E	*				HET		F	
Gerber	Ultra Flush EL ADA	EF-21-312: 21-372 bowl, EF-28-380 tank	800	WS	2	-	E	*				HET		F	
Gerber	Ultra Flush EL ADA	EF-21-314: 21-372 bowl, EF-28-384 tank	800	WS	2	-	E	*				HET		F	
Gerber	Ultra Flush EL ADA	EF-21-324: 21-372 bowl, EF-28-384 tank	800	WS	2	-	E	*				HET		F	
Gerber	Ultra Flush EL ADA (rear discharge)	EF-21-325: 21-375 bowl, EF-28-380 tank	800	WS	2	-	E	*				HET	R	F	
Gerber	Ultra Flush EL ADA (w/bedpan lugs)	EF-21-319: 21-329 bowl, EF-28-390 tank	800		2	-	E	*				HET		F	
Gerber	Ultra Flush RF	EF-21-302: 21-342 bowl, EF-28-380 tank	1,000	WS	2	-	R					HET		F	
Gerber	Ultra Flush RF	EF-21-304: 21-342 bowl, EF-28-384 tank	1,000	WS	2	-	R					HET		F	
Globe Union	WaterRidge Grace EL	C22055C (one-piece)	500	WS	1	2	E		*			HET		F	
HCG	None - EL	CS9001DF: C9001 bowl, S9002DF tank	400		2	2	E		*			HET		F	
HCG	None - RF	CS9002DF: C9002 bowl, S9002DF tank	350		2	2	R		*			HET		F	
Home Depot - Glacier Bay (by Foremost)	Glacier Bay EL ADA	TL-7600HC-HET-Y: LL-7600HC-HET bowl, T-7600-HET tank - Home Depot SKU 331-725 (Foremost Model BT6001)	400	WS	2		E	*	*				HET	F	
Home Depot - Glacier Bay (by Niagara)	Ecologic RF ADA	N2225R-165: N2225RB-165 bowl, N2225T tank	1,000		2	-	R						HET	F	
Home Depot - Glacier Bay (by Niagara)	Glacier Bay EL ADA	331-725 bowl, 331-725 tank (Home Depot SKUs)	600		2	3	E	*					HET	F	
Home Depot - Pegasus	Dual-Flush RF	SKU 131-926	800		2	-	R		*			HET		F	
Home Depot - Pegasus	Tulip EL (See Vortens-Lamosa)	SKU 477-546: 3107 bowl, 3427 tank	400		2	-	E		*			HET		F	
Home Depot - Pegasus (by Niagara)	Cottage EL ADA (Flapperless)	N2228: N2228B bowl, N2228T tank. Sold combined as Home Depot SKU 840-565	500	WS	2	-	E	*					HET	F	
Home Depot (by Niagara)	Ecologic EL ADA (Flapperless)	N2225E: N2225EB bowl, N2225T tank. Sold combined as Home Depot SKU 331-725	800	WS	2	-	E	*					HET	F	
Jacuzzi	Espres (one-piece)	EZ36959 (one-piece)	350	WS	1								HET		
Kohler	Barrington Pressure Lite EL	K-3652: 4327 bowl, 4484 tank	800	WS	2	-	E			*		HET	R	F	
Kohler	Cimarron Eco-Smart EL ADA	K-3496-HE: 4286 bowl, 4634-HE tank	800	WS	2	3	E	*					HET	F	
Kohler	Cimarron EL ADA	K-3609:	350	WS	2		E	*					HET	F	
Kohler	Escale EL	K-3588: 4308 bowl, 4472 tank	500	WS	2		E		*			HET		F	
Kohler	Fountainhead Power Lite EL ADA	K-3524 (one piece)	350	WS	1		E	*		*			HET	F	
Kohler	Kelston EL ADA	K-11453: F4306 bowl, F4469 tank	1,000	WS	2		E	*					HET	F	
Kohler	Persuade EL	K-3654: 4322 bowl, 4419 tank	350	WS	2	-	E		*			HET		F	
Kohler	Saile EL	K-3564 (one piece)	500	WS	1		E		*			HET		F	

Make	Model Name	Model Number	MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Certified to the U.S. EPA WaterSense Specification for High-Efficiency Toilets	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush on a dual-flush system	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
											Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity		
	KEY:														
	Flush performance (MaP score)														
			350 grams to 475 grams												
			500 grams and more												
	Type of toilet fixture														
			6-L (1.6-gal) Pressure- or power-assist (full flush on a dual-flush system)												
			4-L (1.1-gal) Pressure-assist												
			Gravity-fed												
Kohler	San Raphael Power Lite EL	K-3398 Power-Assisted (DISCONTINUED MODEL-replaced by K-3393)	850		1	-	E			*		HET			F
Kohler	San Raphael Power Lite EL ADA	K-3393 Power-Assisted	1,000	WS	1	-	E	*		*-at 1.4-g		HET			F
Kohler	San Raphael Pressure Lite EL ADA	K-3597 (one-piece)	600	WS	1	-	E	*				HET			F
Kohler	Sterling Karsten Dual Force EL	402028: 402026 bowl, 402023 tank	400	WS	2	2	E		*			HET			F
Kohler	Sterling Karsten RF	402025: 402021 bowl, 402023 tank	800	WS	2	2	R		*			HET			F
Kohler	Sterling Rockton EL	402027: 402026 bowl, 402022 tank	350	WS	2	-	E		*			HET			F
Kohler	Sterling Rockton RF	402024: 402021 bowl, 402022 tank	350	WS	2	-	R		*			HET			F
Kohler	Sterling Stanton EL	402040: 402030 bowl, 402031 tank	350	WS	2	-	E		*			HET			F
Kohler	Wellworth Pressure Lite EL	K-3531: 4303 bowl, 4484 tank	1,000	WS	2	-	E					HET			F
Kohler	Highline Pressure Lite EL ADA	K-3519: 4304 bowl, 4484 tank	1,000	WS	2	-	E	*				HET			F
Lowe's	AquaSource EL	005905 (tank & bowl model nos. not provided)	350	WS	2		E						HET		F
Mancesa	Cyclone 4 EL	2282 bowl, 2281 tank	650		2	-	E					HET			F
Mansfield	EcoQuantum EL	147 bowl, 119 tank	1,000	WS	2	-	E			*		HET			F
Mansfield	EcoQuantum EL	149 bowl, 119 tank	550	WS	2	-	E			*		HET		R	F
Mansfield	EcoQuantum EL ADA	148 bowl, 119 tank	1,000	WS	2	-	E	*		*		HET			F
Mansfield	EcoQuantum RF	146 bowl, 119 tank	1,000	WS	2	-	R			*		HET			F
Mansfield	None - EL	144 bowl, 119 tank	1,000	WS	2	-	E	*		*		HET		R	W
Mansfield	None - EL	144 bowl, 153 tank	900	WS	2	-	E	*				HET		R	W
Mansfield	Prestigio 4 EL	704 (one-piece)	950	WS	1	-	E					HET			F
Mansfield	QuantumOne EL	147 bowl, 153 tank	1,000	WS	2	-	E					HET			F
Mansfield	QuantumOne EL	149 bowl, 153 tank	1,000	WS	2	-	E					HET		R	F
Mansfield	QuantumOne EL ADA	148 bowl, 153 tank	1,000	WS	2	-	E	*				HET			F
Mansfield	QuantumOne RF	146 bowl, 153 tank	1,000	WS	2	-	R					HET			F
Niagara	Ecologic EL ADA HET (Flapperless)	N2225E: N2225EB bowl, N2225T tank. Also sold as Home Depot SKU 331-725	800	WS	2	-	E	*					HET		F
Niagara	Ecologic RF HET (Flapperless)	N2225R: N2225RB bowl, N2225T tank (note that tank and bowl model nos. are identical to those of the older Flapperless RF HET)	500	WS	2	-	R						HET		F
Niagara	Flapperless HET EL	N2228: N2228B bowl, N2228T tank. Also sold as Home Depot Pegasus Cottage: SKU 840-565	400	WS	2	-	E	*					HET		F
Niagara	Glacier Bay Ecologic RF ADA	N2225R-165: N2225RB-165 bowl, N2225T tank	1,000		2	-	R						HET		F
Niagara	Glacier Bay EL ADA	331-725 bowl, 331-725 tank (Home Depot SKUs)	600		2	3	E	*					HET		F

Make	Model Name	Model Number	MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Certified to the U.S. EPA WaterSense Specification for High-Efficiency Toilets	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush on a dual-flush system	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
											Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity		
	KEY:														
	Flush performance (MaP score)														
			350 grams to 475 grams												
			500 grams and more												
	Type of toilet fixture														
			6-L (1.6-gal) Pressure- or power-assist (full flush on a dual-flush system)												
			4-L (1.1-gal) Pressure-assist												
			Gravity-fed												
Niagara	None EL	N2310: 2310B bowl, 2310T tank	1,000	WS	2	-	E					HET			F
Niagara	None EL	N4418 (one piece)	500		1	-	E						HET		F
Niagara	None EL ADA	N4417: N4417 bowl, N4415T tank	350		2	-	E	*					HET		F
Original Pacific Supply	None EL	T/X-6688E: T-6688E bowl, X-6688 tank	350	WS	2		E		*			HET			F
Original Pacific Supply	None EL ADA	T/X-6688H: T-6688H bowl, X-6688 tank	350	WS	2		E	*	*			HET			F
Original Pacific Supply	None RF	T/X-6688: T-6688 bowl, X-6688 tank	350	WS	2		R		*			HET			F
Orion	Green Sense EL	50320 bowl, 51299 tank	350	WS	2		E						HET		F
Orion	Green Sense RF	50299 bowl, 51299 tank	350	WS	2		R						HET		F
Peerless Pottery (by Capizzi)	Predator EL ADA	608 bowl, 1 tank	500		2	-	E	*				HET			F
Peerless Pottery (by Capizzi)	Predator Low Profile EL	606 bowl, 1 tank	400		2	-	E					HET			F
Pro-Flo (by Briggs for Ferguson)	None EL	PF9201 bowl; PF9212 tank	350	WS	2		E		*			HET			F
Pro-Flo (by Briggs for Ferguson)	None RF	PF9200 bowl; PF9212 tank	350	WS	2		R		*			HET			F
Pro-Flo (by Tynan for Ferguson)	Cascade EL	PF9301 bowl; PF9312 tank	400	WS	2	2	E		*			HET			F
Pro-Flo (by Tynan for Ferguson)	Cascade EL ADA	PF9303 bowl; PF9312 tank	450	WS	2	2	E	*	*			HET			F
Pro-Flo (by Tynan for Ferguson)	Cascade RF	PF9300 bowl; PF9312 tank	500	WS	2	2	R		*			HET			F
Pro-Flo (by Tynan for Ferguson)	MacLair EL	PF9401 bowl; PF9412 tank	850	WS	2	3	E						HET		F
Pro-Flo (by Tynan for Ferguson)	MacLair RF	PF9400 bowl; PF9412 tank	900	WS	2	3	R						HET		F
Quality Craft	Alexis HET Dual Flush Toilet in Box EL ADA	30014K: 3001 bowl, 3004 tank (insulated)	900	WS	2	3	E	*	*			HET			F
Quality Craft	Alexis HET Toilet in a Box - EL ADA	30013K: 3001 bowl, 3003 tank (insulated)	900	WS	2	3	E	*					HET		F
Quality Craft	None - EL ADA	3001/3003 (insulated tank)	900		2	3	E	*					HET		F
Quality Craft	None - EL ADA	3001/3004 (insulated tank)	900		2	3	E	*	*			HET			F
RAK Ceramics	Venice EL	VN03 bowl, VN10 tank	500		2	2	E		*			HET			F
Tangshan Ayers Bath	Dofiny - EL ADA	UAC1301BS-AA bowl, UAT1302-AA tank	550	WS	2	3	E	*					HET		F
Toto	Aquia EL	CST414M: CT414 bowl, ST413M tank	800	WS	2	2	E		*			HET			F
Toto	Aquia II EL	CST416M: CT416 bowl, ST416M tank	500	WS	2	2.5	E					HET			F
Toto	Aquia III EL	CST464M: CT464 bowl, ST464M tank	500	WS	2	2.5	E					HET			F
Toto	Aquia IIIUH EL ADA	CST464MF: CT464F bowl, ST464M tank	500	WS	2	2.5	E	*				HET			F
Toto	EcoClayton	CST784EF: C784EF bowl, ST784E tank	500	WS	2	3	E	*					HET		F
Toto	EcoDartmouth EL ADA	CST754EF: C754EF bowl, ST753E tank	700	WS	2	3	E	*					HET		F
Toto	EcoDrake EL	CST744E: C744E bowl, ST743E tank	600	WS	2	3	E						HET		F
Toto	EcoDrake EL ADA	CST744EL: C744EL bowl, ST743E tank	900	WS	2	3	E	*					HET		F

Make	Model Name	Model Number	MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Certified to the U.S. EPA WaterSense Specification for High-Efficiency Toilets	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush on a dual-flush system	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
											Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity		
Toto	EcoDrake RF	CST743E: C743E bowl, ST743E tank	500	WS	2	3	R						HET		F
Toto	EcoNexus EL ADA	CST794EF: CT794EF bowl, ST794E tank	500	WS	2	3	E	*					HET		F
Toto	EcoPromenade EL ADA	CST424EF: C424EF bowl, ST423E tank	400	WS	2	3	E	*					HET		F
Toto	EcoSupreme EL	CST864E OR MS864114E OR MW864***E	500	WS	1	3	E						HET		F
Toto	EcoSupreme Rf	CST863E OR MS863113E OR MW863***E	350	WS	1	3	E						HET		F
Toto	EcoUltramax EL	CST854E OR MS854114E OR MW854***E	500	WS	1	3	E						HET		F
Toto	EcoUltramax EL ADA	CST854EL OR MS854114EL OR MW854***EL	500	WS	1	3	E	*					HET		F
Toto	EcoUltramax RF	CST853E OR MS853113E OR MW853***E	550	WS	1	3	R						HET		F
Toto	EcoWhitney EL ADA	CST754EFN: C754EF bowl, ST754E tank	700	WS	2	3	E	*					HET		F
Toto	Gwyneth EL ADA	CST454CEF: C454CE bowl, ST454E tank	800	WS	2	3	E	*					HET		F
Toto	Gwyneth EL ADA	CST604CEF OR MS604114CEF (one-piece) OR MW604***CEF	500	WS	1	3	E	*					HET		F
Tynan Plumbing	Cascade EL	4353: 0353.01 bowl, 1312.01 tank	400	WS	2	2	E		*			HET			F
Tynan Plumbing	Cascade EL ADA	4354: 0354.01 bowl, 1312.01 tank	450	WS	2	2	E	*	*			HET			F
Tynan Plumbing	Cascade RF	4352: 0352.01 bowl, 1312.01 tank	500	WS	2	2	R		*			HET			F
Tynan Plumbing	MacLair EL	4343: 0343 bowl, 1342HET tank	850	WS	2	3	E						HET		F
Tynan Plumbing	MacLair RF	4342: 0342 bowl, 1342HET tank	900	WS	2	3	R						HET		F
Vitra	Evergreen (formerly Arkitekt) EL ADA	5065 bowl, 5066 tank	500	WS	2	-	E	*				HET			F
Vitra	Evergreen (formerly Corina) Dual Flush Comfort EL ADA	5074 bowl, 5055 tank	800	WS	2	2	E	*	*			HET			F
Vitra	Evergreen (formerly Corina) Dual Flush RF	5076 bowl, 5055 tank	500	WS	2	-	R		*			HET			F
Vitra	EverGreen EL ADA	5195 bowl, 5402 tank	600	WS	2	2	E	*					HET		F
Vitra	EverGreen RF ADA	5196 bowl, 5402 tank	800	WS	2	2	R	*					HET		F
Vortens-Lamosa	Dali EL	5101 bowl, 5201 tank	350	WS	2		E		*			HET			F
Vortens-Lamosa	Delfos	3130	350	WS	1				*			HET			F
Vortens-Lamosa	Hurricane EL	3137 bowl, 3473 tank	350	WS	2	3	E						HET		F
Vortens-Lamosa	Hurricane RF	3213 bowl, 3473 tank	350	WS	2	3	R						HET		F
Vortens-Lamosa	Hurricane RF ADA	3140 bowl, 3473 tank	1,000	WS	2	3	E	*					HET		F
Vortens-Lamosa	Loretto EL	3137 bowl, 3475 tank	350	WS	2	3	E						HET		F
Vortens-Lamosa	Loretto EL ADA	3140 bowl, 3475 tank	350	WS	2	3	E	*					HET		F
Vortens-Lamosa	Loretto RF	3213 bowl, 3475 tank	350	WS	2	3	R						HET		F

Make	Model Name	Model Number	MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Certified to the U.S. EPA WaterSense Specification for High-Efficiency Toilets	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush on a dual-flush system	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
											Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity		
	KEY: Flush performance (MaP score)														
			350 grams to 475 grams												
			500 grams and more												
	Type of toilet fixture														
			6-L (1.6-gal) Pressure- or power-assist (full flush on a dual-flush system)												
			4-L (1.1-gal) Pressure-assist												
			Gravity-fed												
Vortens-Lamosa	Pegasus Tulip EL (Home Depot brand)	3107 bowl, 3427 tank (HD SKU 477-546)	400		2	-	E		*			HET			F
Vortens-Lamosa	Rhodas EL ADA (HET)	3123 bowl, 3436 tank	1,000	WS	2	-	E	*	*			HET			F
Vortens-Lamosa	Tornado EL	3138 bowl, 3468 tank	700	WS	2	-	E						HET		F
Vortens-Lamosa	Tornado EL ADA	3134 bowl, 3468 tank	1,000	WS	2	-	E	*					HET		F
Vortens-Lamosa	Vienna ELX	3113 bowl, 3420 tank	350	WS	2		E					HET			F
Vortens-Lamosa	Vienna ELX	3113ELX bowl, 3436SPS tank	1,000	WS	2	2	E		*			HET			F
Vortens-Lamosa	Vienna RF	3208 bowl, 3436V tank	600	WS	2	2	R		*			HET			F
Vortens-Lamosa	Vienna RF Dual Flush	3208 bowl, 3420 tank	375	WS	2		R		*			HET			F
Vortens-Lamosa	Vienna Victory RF	3209 bowl, 3420 tank	350	WS	2		R		*			HET			F
Vortens-Lamosa	Vienna Victory RF	3209 bowl, 3436SPS tank	600	WS	2	2	R		*			HET			F
Western Pottery	Environmental Dual Flush EL	B812 DF bowl, T8-ULF-DF tank	550		2	2	E		*			HET			F
Western Pottery	Wrangler One EL	B432PF-1: 432 PF bowl, ULF-T4 tank	1,000		2	-	E						HET		F
Zurn	EcoVantage Dual Flush EL	Z5572: Z5570 bowl, Z5562 tank	800	WS	2	-	E			*		HET			F
Zurn	EcoVantage Dual Flush EL ADA	Z5562: Z5560 bowl, Z5562 tank	1,000	WS	2	-	E	*		*		HET			F
Zurn	EcoVantage EL	Z5571: Z5570 bowl, Z5561 tank	800	WS	2	-	E						HET		F
Zurn	EcoVantage EL ADA	Z5561: Z5560 bowl, Z5561 tank	1,000	WS	2	-	E	*					HET		F
Zurn	EcoVantage Dual Flush RF	Z5577: Z5575 bowl, Z5562 tank	350	WS	2		R					HET			F
Zurn	EcoVantage RF	Z5576: Z5575 bowl, Z5561 tank	350	WS	2	-	R						HET		F

RF – Round-front toilet bowl

EL – Elongated-front toilet bowl

S - Special bowl design

ADA-Meets bowl-height requirements of Americans with Disabilities Act; does NOT imply that fixture meets any other ADA requirements.

WS - Compliance established by meeting the requirements of the U.S. EPA WaterSense specification for high-efficiency toilets; certified to WaterSense

gpf - Gallons per Flush