

Maximum Performance (MaP) of Toilet Fixtures

UNAR-Qualified Ultra-Low-Flush Toilets (1.6-gallon - 6 Litre) Sorted by Manufacturer

Note: Compiling this listing is a service of the U.S.-Canadian Alliance for Water Efficiency (AWE) and the California Urban Water Conservation Council (CUWCC). All of the fixtures on this list are rated at 1.6-gallons (6 Litres) per flush and are believed to meet the requirements of the specification titled "Uniform North American Requirements for Toilet Fixtures", although there is no guarantee of such. That UNAR specification requires fixture compliance with the Los Angeles Supplementary Purchase Specification (SPS) and meet a 350 gram minimum performance on the Maximum Performance (MaP) test. Further details may be found at: http://www.cuwcc.org/toilet_fixtures.lasso OR <http://www.allianceforwaterefficiency.org/MaP-main.aspx>

| Make | Model Name | Model Number | MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush) | 1-piece or 2-piece model | Flush Valve-Flapper size (in.) | No flapper / Non-traditional flapper | Round Front (R) or Elongated (E) bowl | ADA-Comfort Height-Right Height Bowl | 1.6G (6L) Gravity-flush | 1.6G (6L) Vacuum-Assist | 1.6G (6L) Pressure-Assist | Rear Discharge | Floor-Mounted (F) OR Wall-Mounted (W) | KEY: |
|-------------------|-------------------------------|--|--|--------------------------|--------------------------------|--------------------------------------|---------------------------------------|--------------------------------------|-------------------------|-------------------------|---------------------------|----------------|---------------------------------------|-------------------------------|
| | | | | | | | | | | | | | | Flush performance (MaP score) |
| | | | | | | | | | | | | | | 350 grams to 475 grams |
| | | | | | | | | | | | | | | 500 grams and more |
| | | | | | | | | | | | | | | Type of toilet fixture |
| | | | | | | | | | | | | | | Pressure- or power-assist |
| | | | | | | | | | | | | | | Gravity-fed & Vacuum-assist |
| American Standard | Cadet 3 EL (10" rough-in) | 2383.010: 3014 bowl, 4019 tank | 800 | 2 | 3 | | E | | * | | | | | F |
| American Standard | Cadet 3 EL (12" rough-in) | 2383.012: 3014 bowl, 4021 tank (unlined tank) | 1,000 | 2 | 3 | * | E | | * | | | | | F |
| American Standard | Cadet 3 EL (12" rough-in) | 2383.012: 3014 bowl, 4021.500 (lined tank) | 800 | 2 | 3 | | E | | * | | | | | F |
| American Standard | Cadet 3 EL (14" rough-in) | 2383.014: 3014 bowl, 4027 tank | 1,000 | 2 | 3 | | E | | * | | | | | F |
| American Standard | Cadet 3 EL ADA (10" rough-in) | 2386.010: 3016 bowl, 4019 tank | 1,000 | 2 | 3 | | E | * | * | | | | | F |
| American Standard | Cadet 3 EL ADA (12" rough-in) | 2386.012: 3016 bowl, 4021 tank (unlined tank); NOTE: this combination is also sold as 3305.000, which is identified as the "COMPLETE" package and includes bowl, tank, seat, & installation mat'ls as one item or SKU. | 1,000 | 2 | 3 | | E | * | * | | | | | F |
| American Standard | Cadet 3 EL ADA (12" rough-in) | 2386.012: 3016 bowl, 4021.500 (lined tank) | 1,000 | 2 | 3 | | E | * | * | | | | | F |
| American Standard | Cadet 3 EL ADA (14" rough-in) | 2386.014: 3016 bowl, 4027 tank | 1,000 | 2 | 3 | | E | * | * | | | | | F |
| American Standard | Cadet 3 RF (10" rough-in) | 2384.010: 3011 bowl, 4019 tank | 1,000 | 2 | 3 | | R | | * | | | | | F |
| American Standard | Cadet 3 RF (12" rough-in) | 2384.012: 3011 bowl, 4021 tank; NOTE: this combination is also sold as 2880.000, which is identified as the "COMPLETE" package and includes bowl, tank, seat, & installation mat'ls as one item or SKU. | 1,000 | 2 | 3 | | R | | * | | | | | F |
| American Standard | Cadet 3 RF (12" rough-in) | 2384.012: 3011 bowl, 4021.500 (lined tank) | 1,000 | 2 | 3 | | R | | * | | | | | F |
| American Standard | Cadet 3 RF (14" rough-in) | 2384.014: 3011 bowl, 4027 tank | 1,000 | 2 | 3 | | R | | * | | | | | F |
| American Standard | Cadet 3 RF (insulated tank) | 2880.500: 3011.016 bowl, 4021.500 tank (lined); NOTE: this combination is identified as the "COMPLETE" package and includes bowl, tank, seat, & installation mat'ls as one item or SKU. | 1,000 | 2 | 3 | | R | | * | | | | | F |

| Make | Model Name | Model Number | MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush) | 1-piece or 2-piece model | Flush Valve-Flapper size (in.) | No flapper / Non-traditional flapper | Round Front (R) or Elongated (E) bowl | ADA-Comfort Height-Right Height Bowl | 1.6G (6L) Gravity-flush | 1.6G (6L) Vacuum-Assist | 1.6G (6L) Pressure-Assist | Rear Discharge | Floor-Mounted (F) OR Wall-Mounted (W) | KEY: | |
|-----------------------------|------------------------------------|--|--|--------------------------|--------------------------------|--------------------------------------|---------------------------------------|--------------------------------------|-------------------------|-------------------------|---------------------------|----------------|---------------------------------------|-------------------------------|--|
| | | | | | | | | | | | | | | Flush performance (MaP score) | |
| | | | | | | | | | | | | | | 350 grams to 475 grams | |
| | | | | | | | | | | | | | | 500 grams and more | |
| Type of toilet fixture | | | | | | | | | | | | | | | |
| Pressure- or power-assist | | | | | | | | | | | | | | | |
| Gravity-fed & Vacuum-assist | | | | | | | | | | | | | | | |
| American Standard | Cadet 3 RF (insulated tank) | 2882.000 Toilet in a Box (A "COMPLETE" package that includes bowl, tank, seat, and installation mat'ls as one item or SKU) | 1,000 | 2 | 3 | | R | | * | | | | | F | |
| American Standard | Cadet 3 Right Height EL ADA | 2459.016: 3016 bowl, 4007 tank | 1,000 | 2 | 3 | | E | * | * | | | | | F | |
| American Standard | Cadet EL | 2333: 4098 tank, 3099 bowl | 750 | 2 | - | | E | | | * | | | | F | |
| American Standard | Champion 4 EL | 2018.214: 3121 bowl, 4266 tank | 1,000 | 2 | 3 | | E | | * | | | | | F | |
| American Standard | Champion 4 EL | 2018.504: 3121.016 bowl, 4266.504 (lined tank) | 1,000 | 2 | 3 | | E | | * | | | | | F | |
| American Standard | Champion 4 EL (one-piece) | 2004 (one-piece) | 800 | 1 | 3 | | E | | * | | | | | F | |
| American Standard | Champion 4 EL ADA | 2002.014: 3225 bowl, 4266 tank; NOTE: this combination is also sold as 2586.000, which is identified as the "COMPLETE" package and includes bowl, tank, seat, & installation mat'ls as one item or SKU. | 1,000 | 2 | 3 | | E | * | * | | | | | F | |
| American Standard | Champion 4 EL ADA | 2002.504: 3225.016 bowl, 4266.504 tank(lined) | 1,000 | 2 | 3 | | E | * | * | | | | | F | |
| American Standard | Champion 4 EL ADA | 2586.500: 3225.016 bowl, 4266.504 tank(lined) | 1,000 | 2 | 4 | | E | * | * | | | | | F | |
| American Standard | Champion 4 EL ADA (one-piece) | 2034.314 (one-piece); NOTE: this one-piece fixture is also sold as 2034.014, which is the same fixture but with a seat. | 800 | 1 | 3 | | E | * | * | | | | | F | |
| American Standard | Champion 4 RF | 2023.214: 3110 bowl, 4266 tank; NOTE: this combination is also sold as 2585.000, which is identified as the "COMPLETE" package and includes bowl, tank, seat, & installation mat'ls as one item or SKU. | 1,000 | 2 | 3 | | R | | * | | | | | F | |
| American Standard | Champion 4 RF | 2023.504: 3110.016 bowl, 4266.504 tank(lined) | 1,000 | 2 | 3 | | R | | * | | | | | F | |
| American Standard | Champion 4 RF | 2585.500: 3110.016 bowl, 4266.504 tank(lined) | 1,000 | 2 | 4 | | R | | * | | | | | F | |
| American Standard | Champion EL | 2018: 3121 bowl, 4260 tank | 1,000 | 2 | 3 | * | E | | * | | | | | F | |
| American Standard | Champion RF | 2023: 3110 bowl, 4260 tank | 800 | 2 | 3 | * | R | | * | | | | | F | |
| American Standard | Champion Right Height EL ADA | 2002: 3225 bowl, 4260 tank | 1,000 | 2 | 3 | * | E | * | * | | | | | F | |
| American Standard | Champion Select EL | 2087: 3121 bowl, 4272 tank | 1,000 | 2 | 3 | * | E | | * | | | | | F | |
| American Standard | Champion Select EL ADA | 2057: 3225 bowl, 4272 tank | 1,000 | 2 | 3 | * | E | * | * | | | | | F | |
| American Standard | Champion Select RF | 2035: 3110 bowl, 4272 tank | 800 | 2 | 3 | * | R | | * | | | | | F | |
| American Standard | Compact Cadet 3 EL | 2431.010: 3046.016 bowl, 4019.016 tank NOTE: this combination is also sold as 2447.000, which is identified as the "COMPLETE" package and includes bowl, tank, seat, & installation mat'ls as one item or SKU. | 1,000 | 2 | 3 | | E | | * | | | | | F | |
| American Standard | Compact Cadet 3 EL ADA (one-piece) | 2403.500 (one-piece) | 1,000 | 1 | 3 | | E | * | * | | | | | F | |

KEY:
Flush performance (MaP score)

| |
|------------------------|
| 350 grams to 475 grams |
| 500 grams and more |

Type of toilet fixture

| |
|-----------------------------|
| Pressure- or power-assist |
| Gravity-fed & Vacuum-assist |

| Make | Model Name | Model Number | MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush) | 1-piece or 2-piece model | Flush Valve-Flapper size (in.) | No flapper / Non-traditional flapper | Round Front (R) or Elongated (E) bowl | ADA-Comfort Height-Right Height Bowl | 1.6G (6L) Gravity-flush | 1.6G (6L) Vacuum-Assist | 1.6G (6L) Pressure-Assist | Rear Discharge | Floor-Mounted (F) OR Wall-Mounted (W) |
|-------------------|---|--|--|--------------------------|--------------------------------|--------------------------------------|---------------------------------------|--------------------------------------|-------------------------|-------------------------|---------------------------|----------------|---------------------------------------|
| American Standard | Compact Cadet 3 One Piece EL ADA | 2403.012 (one-piece); NOTE: this combination is also sold as 2568.000 , which is identified as the "COMPLETE" package and includes bowl, tank, seat, & installation mat's as one item or SKU. | 1,000 | 1 | 3 | | E | * | * | | | | F |
| American Standard | Doral Champion 4 EL | 2368.014: 3121 bowl, 4272 tank | 1,000 | 2 | 3 | | E | * | * | | | | F |
| American Standard | Doral Champion 4 EL ADA | 2367.014: 3225 bowl, 4272 tank | 1,000 | 2 | 3 | | E | * | * | | | | F |
| American Standard | Doral Champion 4 RF | 2369.014: 3110 bowl, 4272 tank | 1,000 | 2 | 3 | | R | | * | | | | F |
| American Standard | Doral Champion EL | 2368: 3121 bowl, 4272 tank | 1,000 | 2 | 3 | * | E | | * | | | | F |
| American Standard | Doral Champion EL ADA | 2367: 3225 bowl, 4272 tank | 1,000 | 2 | 3 | * | E | * | * | | | | F |
| American Standard | Doral Champion RF | 2369: 3110 bowl, 4272 tank | 800 | 2 | 3 | * | R | | * | | | | F |
| American Standard | Doral Classic Champion 4 EL OR Williamsburg Champion 4 EL | 2074.014: 3121 bowl, 4281 tank | 1,000 | 2 | 3 | | E | | * | | | | F |
| American Standard | Doral Classic Champion 4 RF OR Williamsburg Champion RF | 2076.014: 3110 bowl, 4281 tank | 1,000 | 2 | 3 | | R | | * | | | | F |
| American Standard | Doral Classic Champion EL ADA | 2058.014: 3225 bowl, 4281 tank | 850 | 2 | 3 | | E | * | * | | | | F |
| American Standard | Doral Classic/Williamsburg EL | 2074: 3121 bowl, 4281.016 tank | 1,000 | 2 | 3 | * | E | | * | | | | F |
| American Standard | Doral Classic/Williamsburg EL ADA | 2058: 3225 bowl, 4281.016 tank | 1,000 | 2 | 3 | * | E | * | * | | | | F |
| American Standard | Doral Classic/Williamsburg RF | 2076: 3110 bowl, 4281.016 tank | 800 | 2 | 3 | * | R | | * | | | | F |
| American Standard | Glenwall EL (wall mount-ADA possible) | 3402 bowl, 4098 tank | 800 | 2 | - | | E | * | | | * | R | W |
| American Standard | Mainstream (Evolution 2) RF (insulated tank) | 3061.016 bowl, 4061.500 tank (lined) | 800 | 2 | 2 | | R | | * | | | | F |
| American Standard | Mainstream (Evolution 2) EL | 2427.012: 3063.016 bowl, 4061.016 tank | 800 | 2 | 2 | | E | | * | | | | F |
| American Standard | Mainstream (Evolution 2) EL (insulated tank) | 3063.016 bowl, 4061.500 tank (lined) | 1,000 | 2 | 2 | | E | | * | | | | F |
| American Standard | Mainstream (Evolution 2) EL ADA | 2428.012: 3068.016 bowl, 4061.016 tank | 1,000 | 2 | 2 | | E | * | * | | | | F |
| American Standard | Mainstream (Evolution 2) EL ADA (insulated tank) | 3068.016 bowl, 4061.500 tank (lined) | 1,000 | 2 | 2 | | E | * | * | | | | F |
| American Standard | Mainstream (Evolution 2) RF | 2426.012: 3061.016 bowl, 4061.016 tank | 800 | 2 | 2 | | R | | * | | | | F |
| American Standard | Oakmont Champion EL ADA | 2738: 3101 bowl, 4272 tank | 1,000 | 2 | 3 | * | E | * | * | | | | F |
| American Standard | Oakmont Champion 4 EL | 2625.014: 3153 bowl, 4272 tank | 1,000 | 2 | 3 | | E | | * | | | | F |
| American Standard | Oakmont Champion 4 EL | 2625: 3153 bowl, 4272 tank | 1,000 | 2 | 3 | * | E | | * | | | | F |
| American Standard | Oakmont Champion 4 EL ADA | 2738.014: 3101 bowl, 4272 tank | 1,000 | 2 | 3 | | E | * | * | | | | F |
| American Standard | Oakmont Champion 4 RF | 2627.014: 3167 bowl, 4272 tank | 1,000 | 2 | 3 | | R | | * | | | | F |
| American Standard | Oakmont Champion 4 RF | 2627: 3167 bowl, 4272 tank | 1,000 | 2 | 3 | * | R | | * | | | | F |
| American Standard | Skyline Champion 4 EL | 2219.014: 3121 bowl, 4077 tank | 1,000 | 2 | 3 | | E | | * | | | | F |
| American Standard | Skyline Champion 4 EL ADA | 2067.014: 3225 bowl, 4077 tank | 950 | 2 | 3 | | E | * | * | | | | F |

KEY:
Flush performance (MaP score)

| |
|------------------------|
| 350 grams to 475 grams |
| 500 grams and more |

Type of toilet fixture

| |
|-----------------------------|
| Pressure- or power-assist |
| Gravity-fed & Vacuum-assist |

| Make | Model Name | Model Number | MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush) | 1-piece or 2-piece model | Flush Valve-Flapper size (in.) | No flapper / Non-traditional flapper | Round Front (R) or Elongated (E) bowl | ADA-Comfort Height-Right Height Bowl | 1.6G (6L) Gravity-flush | 1.6G (6L) Vacuum-Assist | 1.6G (6L) Pressure-Assist | Rear Discharge | Floor-Mounted (F) OR Wall-Mounted (W) |
|-------------------|----------------------------|------------------------------------|--|--------------------------|--------------------------------|--------------------------------------|---------------------------------------|--------------------------------------|-------------------------|-------------------------|---------------------------|----------------|---------------------------------------|
| American Standard | Skyline Champion 4 EL ADA | 3225 bowl, 4077 tank | 1,000 | 2 | 3 | * | F | * | * | | | | F |
| American Standard | Skyline Champion 4 RF | 2112.014: 3110 bowl, 4077 tank | 1,000 | 2 | 3 | | R | | * | | | | F |
| American Standard | Skyline Champion 4 RF | 3110 bowl, 4077 tank | 1,000 | 2 | 3 | * | R | | * | | | | F |
| American Standard | Townsend Champion 4 EL ADA | 2733.014: 3177 bowl, 4281 tank | 1,000 | 2 | 3 | | F | * | * | | | | F |
| American Standard | Townsend Champion 4 RF ADA | 2735.014: 3180 bowl, 4281 tank | 1,000 | 2 | 3 | | R | * | * | | | | F |
| American Standard | Tropic/Triumph Cadet 3 EL | 2457.016: 3014 bowl, 4007 tank | 1,000 | 2 | 3 | | F | | * | | | | F |
| American Standard | Tropic/Triumph Cadet 3 RF | 2455.016: 3011 bowl, 4007 tank | 1,000 | 2 | 3 | | R | | * | | | | F |
| American Standard | Yorkville EL | 2320: 3120 bowl, 4099 tank | 1,000 | 2 | - | | F | | | * | | R | F |
| Aquadis | DecoKit RF | TI 627 bowl, FL 610 tank | 500 | 2 | 2 | | R | | * | | | | F |
| Aquadis | Liverpool EL ADA | FI 629 bowl, FL 610 tank | 800 | 2 | 2 | | F | * | * | | | | F |
| Briggs | Kingsley EL | 6087 (one piece) | 800 | 1 | 3 | | F | | * | | | | F |
| Briggs | Kingsley RF | 6083-130 (one piece) | 600 | 1 | 3 | | R | | * | | | | F |
| Briggs | Maelstrom EL | 4395 bowl, 4490 tank | 600 | 2 | 3 | | F | | * | | | | F |
| Briggs | Maelstrom EL ADA | 4398 bowl, 4490 tank | 600 | 2 | 3 | | F | * | * | | | | F |
| Briggs | Maelstrom RF | 4390 bowl, 4490 tank | 400 | 2 | 3 | | R | | * | | | | F |
| Briggs | Vacuity EL | 4200: 4300 bowl, 4400 tank | 375 | 2 | 2 | | F | | | * | | | F |
| Briggs | Vacuity EL | 4245: 4345 bowl, 4400 tank | 650 | 2 | 2 | | F | | | * | | R | F |
| Briggs | Vacuity RF | 4210: 4310 bowl, 4400 tank | 500 | 2 | 2 | | R | | | * | | | F |
| Ceralux/Mancesa | San Marino EL ADA | 2262 bowl, 2261 tank | 500 | 2 | 2 | | F | * | * | | | | F |
| Ceralux/Mancesa | Windsor RF | 2700 bowl, 2711 tank | 400 | 2 | 2 | | R | | * | | | | F |
| Contrac | None EL | 4722BET bowl, 4721BFT tank (lined) | 650 | 2 | 2 | | F | | * | | | | F |
| Contrac | None EL | 4722BET bowl, 4721BFTU tank | 600 | 2 | 2 | | F | | * | | | | F |
| Contrac | None EL ADA | 4722BIT bowl, 4721BFT tank (lined) | 600 | 2 | 2 | | F | * | * | | | | F |
| Contrac | None EL ADA | 4722BIT bowl, 4721BFTU tank | 600 | 2 | 2 | | F | * | * | | | | F |
| Contrac | None RF | 4710BFT (lined tank) | 600 | 1 | 2.5 | | R | | * | | | | F |
| Contrac | None RF | 4710BFTU (one piece) | 550 | 1 | 2.5 | | R | | * | | | | F |
| Contrac | None RF | 4722BFT bowl, 4721BFT tank (lined) | 600 | 2 | 2 | | R | | * | | | | F |
| Contrac | None RF | 4722BFT bowl, 4721BFTU tank | 550 | 2 | 2 | | R | | * | | | | F |
| Crane | Atlas/Atlanta RF | 31012N: 31047N bowl, 31742N tank | 400 | 2 | 2 | | R | | * | | | | F |
| Crane | Classic III EL ADA | 31512: 31852 bowl, 31822 tank | 800 | 2 | 3 | | F | * | * | | | | F |
| Crane | Economiser Bigfoot EL | 31135: 31125 bowl, 3612 tank | 1,000 | 2 | - | | F | | | * | | | F |

KEY:
Flush performance (MaP score)

| |
|------------------------|
| 350 grams to 475 grams |
| 500 grams and more |

Type of toilet fixture

| |
|-----------------------------|
| Pressure- or power-assist |
| Gravity-fed & Vacuum-assist |

| Make | Model Name | Model Number | MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush) | 1-piece or 2-piece model | Flush Valve-Flapper size (in.) | No flapper / Non-traditional flapper | Round Front (R) or Elongated (E) bowl | ADA-Comfort Height-Right Height Bowl | 1.6G (6L) Gravity-flush | 1.6G (6L) Vacuum-Assist | 1.6G (6L) Pressure-Assist | Rear Discharge | Floor-Mounted (F) OR Wall-Mounted (W) |
|-------|------------------------------|--|--|--------------------------|--------------------------------|--------------------------------------|---------------------------------------|--------------------------------------|-------------------------|-------------------------|---------------------------|----------------|---------------------------------------|
| Crane | Economiser EL | 3832: 3822 bowl, 3612 tank | 1,000 | 2 | - | | F | | | | * | | F |
| Crane | Economiser EL | 3835: 3825 bowl, 3612 tank | 1,000 | 2 | - | | F | | | | * | | F |
| Crane | Economiser EL ADA | 3838: 3828 bowl, 3612 tank | 1,000 | 2 | - | | F | * | | | * | | F |
| Crane | Economiser One Bigfoot RF | 31134: 31124 bowl, 3612 tank | 1,000 | 2 | - | | R | | | | * | | F |
| Crane | Economiser RF | 3834: 3824 bowl, 3612 tank | 1,000 | 2 | - | | R | | | | * | | F |
| Crane | Flormont EL ADA | 3922: 3191 bowl, 3742 tank | 400 | 2 | 3 | | F | * | * | | | | F |
| Crane | Galaxy Cranada EL | 31514: 3372 bowl, 31744 tank | 500 | 2 | 3 | | F | | * | | | | F |
| Crane | Galaxy Cranada EL | 3790: 3372 bowl, 3740 tank | 500 | 2 | 3 | | F | | * | | | | F |
| Crane | Galaxy Cranada EL | 3792: 3372 bowl, 3742 tank | 500 | 2 | 2 | | F | | * | | | | F |
| Crane | Galaxy Cranada EL | 3793: 3372 bowl, 3743 tank | 500 | 2 | 2 | | F | | * | | | | F |
| Crane | Galaxy Cranada RF | 31504: 3352 bowl, 31744 tank | 500 | 2 | 3 | | R | | * | | | | F |
| Crane | Galaxy Cranada RF | 3782: 3352 bowl, 3742 tank | 500 | 2 | 2 | | R | | * | | | | F |
| Crane | Galaxy Cranada RF | 3783: 3352 bowl, 3743 tank | 500 | 2 | 2 | | R | | * | | | | F |
| Crane | Opus III EL | 31672: 31572 bowl, 31552 tank | 800 | 2 | 3 | | F | | | | | | F |
| Crane | Opus III EL ADA | 31682: 31582 bowl, 31552 tank | 800 | 2 | 3 | | F | * | * | | | | F |
| Crane | Shiloh EL | 31731 (one piece) | 400 | 1 | | | F | | * | | | | F |
| Crane | Sureflush EL | 31352: 31192 bowl, 31242 tank | 1,000 | 2 | 3 | | F | | * | | | | F |
| Crane | SureFlush EL | 31362: 31202 bowl, 31242 tank | 800 | 2 | 3 | | F | | * | | | | F |
| Crane | Sureflush EL | 31363: 31202 bowl, 31243 tank | 800 | 2 | 3 | | F | | * | | | | F |
| Crane | SureFlush EL ADA | 31372: 31212 bowl, 31242 tank | 1,000 | 2 | 3 | | F | * | * | | | | F |
| Crane | Sureflush EL ADA | 31373: 31212 bowl, 31243 tank | 1,000 | 2 | 3 | | F | * | * | | | | F |
| Crane | SureFlush RF | 31352: 31192 bowl, 31242 tank | 1,000 | 2 | 3 | | R | | * | | | | F |
| Crane | Sureflush RF | 31353: 31192 bowl, 31243 tank | 800 | 2 | 3 | | R | | * | | | | F |
| Crane | VIP Flush EL | 3996: 3991 bowl, 3976 tank | 350 | 2 | 2 | | F | | | * | | | F |
| Crane | VIP Flush RF | 3995: 3990 bowl, 3976 tank | 725 | 2 | 2 | | R | | | * | | | F |
| Danze | Cirtangular EL ADA | DC023230 bowl, DC022221 tank | 1,000 | 2 | 3 | | F | * | * | | | | F |
| Danze | Orrington EL ADA | DC013230 bowl, DC012223 tank | 1,000 | 2 | 3 | | F | * | * | | | | F |
| Danze | Orrington EL ADA (one-piece) | DC011223 (one-piece) | 1,000 | 1 | 3 | | F | * | * | | | | F |
| Eljer | Aquasaver EL | 091-7025: 131-7025 bowl, 141-7000 tank | 550 | 2 | - | | F | | | | * | | F |
| Eljer | Canterbury EL (one piece) | 081-3025 (one-piece) | 600 | 1 | 3 | | F | | * | | | | F |
| Eljer | PR Titan RF (one piece) | 081-0750 | 1,000 | 1 | 3 | | R | | * | | | | F |

| Make | Model Name | Model Number | KEY: Flush performance (MaP score) | | MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush) | 1-piece or 2-piece model | Flush Valve-Flapper size (in.) | No flapper / Non-traditional flapper | Round Front (R) or Elongated (E) bowl | ADA-Comfort Height-Right Height Bowl | 1.6G (6L) Gravity-flush | 1.6G (6L) Vacuum-Assist | 1.6G (6L) Pressure-Assist | Rear Discharge | Floor-Mounted (F) OR Wall-Mounted (W) |
|-----------------------------|-------------------------------------|---|---------------------------------------|---|--|--------------------------|--------------------------------|--------------------------------------|---------------------------------------|--------------------------------------|-------------------------|-------------------------|---------------------------|----------------|---------------------------------------|
| | | | 350 grams to 475 grams | | | | | | | | | | | | |
| | | | 500 grams and more | | | | | | | | | | | | |
| | | | Type of toilet fixture | | | | | | | | | | | | |
| Pressure- or power-assist | | | | | | | | | | | | | | | |
| Gravity-fed & Vacuum-assist | | | | | | | | | | | | | | | |
| Eljer | Titan EL | 091-0755: 131-0755 bowl, 141-0777 tank | 1,000 | 2 | 3 | | F | | * | | | | | F | |
| Eljer | Titan EL (one piece) | 081-0755 | 1,000 | 1 | 3 | | F | | * | | | | | F | |
| Eljer | Titan EL ADA | 091-0777: 131-0777 bowl, 141-0777 tank | 900 | 2 | 3 | | F | * | * | | | | | F | |
| Eljer | Titan EL ADA (one piece) | 081-0777 | 1,000 | 1 | 3 | | F | * | * | | | | | F | |
| Eljer | Titan Elite EL | 091-2755: 131-0755 bowl; 141-2777 tank | 1,000 | 2 | 3 | | F | | * | | | | | F | |
| Eljer | Titan Elite EL ADA | 091-2777: 131-0777 bowl; 141-2777 tank | 1,000 | 2 | 3 | | F | * | * | | | | | F | |
| Eljer | Titan Elite RF | 091-2750: 131-0750 bowl; 141-2777 tank | 1,000 | 2 | 3 | | R | | * | | | | | F | |
| Eljer | Titan RF | 091-0750: 131-0750 bowl, 141-0777 tank | 1,000 | 2 | 3 | | R | | * | | | | | F | |
| Eljer | Titan Triangle EL | 091-3750: 131-0755 bowl; 141-3777 tank | 1,000 | 2 | 3 | | F | | * | | | | | F | |
| Eljer | Titan Triangle EL ADA | 091-3777: 131-0777 bowl; 141-3777 tank | 1,000 | 2 | 3 | | F | * | * | | | | | F | |
| Eljer | Titan Triangle RF | 091-3750: 131-0750 bowl; 141-3777 tank | 1,000 | 2 | 3 | | R | | * | | | | | F | |
| Foremost | Aragon IV - EL | TL-6300E-*LN (one-piece, lined tank) | 1,000 | 1 | 2 | | F | | * | | | | | F | |
| Foremost | Colonade - EL ADA | TL-6010E-*L: LL-6010-E bowl, T-6010-*L tank (lined) | 500 | 2 | 3 | | F | * | * | | | | | F | |
| Foremost | Dietrich EL | TL-7237-*L: LL-7237 bowl, T-7237-*L tank (lined) | 350 | 2 | 3 | | F | | * | | | | | F | |
| Foremost | Iris | TL-4000-*L (one-piece)(Also sold ast TL-4310-*LM) | 350 | 1 | 3 | | F | | * | | | | | F | |
| Foremost | Pegasus EL ADA | SKU 464-747 (one-piece) | 1,000 | 1 | 2 | | F | * | * | | | | | F | |
| Foremost | Premier EL | TL-5100-*L (one piece with lined tank) | 750 | 1 | 2 | | F | | * | | | | | F | |
| Foremost | Regent RF | TL-5200-*L (one piece with lined tank) | 700 | 1 | 2 | | R | | * | | | | | F | |
| Foremost | Tuxedo EL ADA | TL-5300E-*L (one-piece) (ALSO sold as TL-5310-*LM) | 1,000 | 1 | 2 | | F | * | * | | | | | F | |
| Gerber | Aquasaver EL (one-piece) | 21-015 | 400 | 1 | 2 | | F | | * | | | | | F | |
| Gerber | Avalanche EL (10-inch rough-in) | 21-810: 21-862 bowl, 28-895 tank | 600 | 2 | 3 | | F | | * | | | | | F | |
| Gerber | Avalanche EL (12-inch rough-in) | 21-812: 21-862 bowl, 28-890 tank | 800 | 2 | 3 | | F | | * | | | | | F | |
| Gerber | Avalanche EL (12-inch rough-in) | 21-812: 21-862 bowl, 28-892 tank (insulated) | 800 | 2 | 3 | | F | | * | | | | | F | |
| Gerber | Avalanche EL (14-inch rough-in) | 21-814: 21-862 bowl, 28-894 tank | 600 | 2 | 3 | | F | | * | | | | | F | |
| Gerber | Avalanche EL ADA | 21-817: 21-828 bowl, 28-895 tank | 1,000 | 2 | 3 | | F | * | * | | | | | F | |
| Gerber | Avalanche EL ADA | 21-818: 21-828 bowl, 28-890 tank | 1,000 | 2 | 3 | | F | * | * | | | | | F | |
| Gerber | Avalanche EL ADA | 21-824: 21-828 bowl, 28-894 tank | 1,000 | 2 | 3 | | F | * | * | | | | | F | |
| Gerber | Avalanche EL ADA (12-inch rough-in) | 21-818: 21-828 bowl, 28-892 tank | 500 | 2 | 3 | | F | * | * | | | | | F | |

| Make | Model Name | Model Number | MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush) | 1-piece or 2-piece model | Flush Valve-Flapper size (in.) | No flapper / Non-traditional flapper | Round Front (R) or Elongated (E) bowl | ADA-Comfort Height-Right Height Bowl | 1.6G (6L) Gravity-flush | 1.6G (6L) Vacuum-Assist | 1.6G (6L) Pressure-Assist | Rear Discharge | Floor-Mounted (F) OR Wall-Mounted (W) | KEY: | |
|-----------------------------|--|---|--|--------------------------|--------------------------------|--------------------------------------|---------------------------------------|--------------------------------------|-------------------------|-------------------------|---------------------------|----------------|---------------------------------------|-------------------------------|--|
| | | | | | | | | | | | | | | Flush performance (MaP score) | |
| | | | | | | | | | | | | | | 350 grams to 475 grams | |
| | | | | | | | | | | | | | | 500 grams and more | |
| Type of toilet fixture | | | | | | | | | | | | | | | |
| Pressure- or power-assist | | | | | | | | | | | | | | | |
| Gravity-fed & Vacuum-assist | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| Gerber | Avalanche RF (10-inch rough-in) | 21-800: 21-852 bowl, 28-895 tank | 800 | 2 | 3 | | R | | * | | | | | F | |
| Gerber | Avalanche RF (12-inch rough-in) | 21-802: 21-852 bowl, 28-890 | 800 | 2 | 3 | | R | | * | | | | | F | |
| Gerber | Avalanche RF (12-inch rough-in) | 21-802: 21-852 bowl, 28-892 (insulated) | 800 | 2 | 3 | | R | | * | | | | | F | |
| Gerber | Avalanche RF (14-inch rough-in) | 21-804: 21-852 bowl, 28-894 tank | 800 | 2 | 3 | | R | | * | | | | | F | |
| Gerber | Brianne EL | 21-011 (one-piece) | 1,000 | 2 | 3 | | E | | * | | | | | F | |
| Gerber | Brianne EL | 21-013 (one-piece) | 600 | 1 | - | | E | | | | * | | | F | |
| Gerber | Brianne EL (12-inch rough-in) | 20-015: 21-185 bowl, 28-183 tank | 1,000 | 2 | 3 | | E | | * | | | | | F | |
| Gerber | Brianne EL ADA (12-inch rough-in) | 20-013: 21-183 bowl, 28-183 tank | 800 | 2 | 3 | | E | * | * | | | | | F | |
| Gerber | Brianne RF | 20-014: 21-184 bowl, 28-183 tank | 1,000 | 2 | 2 | | R | | * | | | | | F | |
| Gerber | Logan Square EL (10-inch rough-in) | 20-017: 21-532 bowl, 28-535 tank | 1,000 | 2 | 3 | | E | | * | | | | | F | |
| Gerber | Logan Square EL (12-inch rough-in) | 20-016: 21-532 bowl, 28-530 tank | 800 | 2 | 3 | | E | | * | | | | | F | |
| Gerber | Logan Square EL ADA (10-inch rough-in) | 20-019: 21-538 bowl, 28-535 tank | 1,000 | 2 | 3 | | E | * | * | | | | | F | |
| Gerber | Logan Square EL ADA (12-inch rough-in) | 20-018: 21-538 bowl, 28-530 tank | 1,000 | 2 | 3 | | E | * | * | | | | | F | |
| Gerber | Maurice EL | 20-012 (one-piece) | 500 | 1 | - | | E | | | | * | | | F | |
| Gerber | Maxwell EL (10-inch rough-in) | 21-410: 21-762 bowl, EH 28-495 tank (pedestal flush valve) | 400 | 2 | 2 | | E | | * | | | | | F | |
| Gerber | Maxwell EL (12-inch rough-in) | 21-412: 21-762 bowl, EH28-492 tank (insulated) (pedestal flush valve) | 400 | 2 | 2 | | E | | * | | | | | F | |
| Gerber | Maxwell RF (10-inch rough-in) | 21-400: 21-752 bowl, EH28-495 tank (pedestal flush valve) | 400 | 2 | 2 | | R | | * | | | | | F | |
| Gerber | Maxwell RF (12-inch rough-in) | 21-402: 21-752 bowl, EH28-492 tank (insulated) (pedestal flush valve) | 350 | 2 | 2 | | R | | * | | | | | F | |
| Gerber | Maxwell RF (12-inch rough-in) | 21-402: 21-752 bowl, EH28-490 tank (insulated) (pedestal flush valve) | 400 | 2 | 2 | | R | | * | | | | | F | |
| Gerber | Picturesque EL ADA (12-inch rough-in) | 20-010: 21-180 bowl, 28-180 tank | 1,000 | 2 | 3 | | E | * | * | | | | | F | |
| Gerber | Ultra Flush (rear discharge) | 21-310: 21-374 bowl, 28-380 tank | 625 | 2 | - | | E | | | | * | R | | F | |
| Gerber | Ultra Flush EL | 21-302: 21-342 bowl, 28-380 tank | 900 | 2 | - | | E | | | | * | | | F | |
| Gerber | Ultra Flush EL | 21-312: 21-372 bowl , 28-380 tank | 1,000 | 2 | - | | E | | | | * | | | F | |
| Gerber | Ultra Flush EL | 21-314: 21-372 bowl , 28-384 tank | 1,000 | 2 | - | | E | | | | * | | | F | |
| Gerber | Ultra Flush EL ADA | 21-311: 21-372 bowl, 28-385 tank | 1,000 | 2 | - | | E | * | | | * | | | F | |
| Gerber | Ultra Flush EL ADA | 21-317: 21-377 bowl, 28-385 tank | 1,000 | 2 | - | | E | * | | | * | | | F | |
| Gerber | Ultra Flush EL ADA | 21-318: 21-377 bowl, 28-380 tank | 1,000 | 2 | - | | E | * | | | * | | | F | |
| Gerber | Ultra Flush EL ADA | 21-324: 21-377 bowl, 28-384 tank | 1,000 | 2 | - | | E | * | | | * | | | F | |

| Make | Model Name | Model Number | MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush) | 1-piece or 2-piece model | Flush Valve-Flapper size (in.) | No flapper / Non-traditional flapper | Round Front (R) or Elongated (E) bowl | ADA-Comfort Height-Right Height Bowl | 1.6G (6L) Gravity-flush | 1.6G (6L) Vacuum-Assist | 1.6G (6L) Pressure-Assist | Rear Discharge | Floor-Mounted (F) OR Wall-Mounted (W) | KEY: |
|---------------------------------------|-------------------------------------|---|--|--------------------------|--------------------------------|--------------------------------------|---------------------------------------|--------------------------------------|-------------------------|-------------------------|---------------------------|----------------|---------------------------------------|-------------------------------|
| | | | | | | | | | | | | | | Flush performance (MaP score) |
| | | | | | | | | | | | | | | 350 grams to 475 grams |
| | | | | | | | | | | | | | | 500 grams and more |
| Type of toilet fixture | | | | | | | | | | | | | | |
| Pressure- or power-assist | | | | | | | | | | | | | | |
| Gravity-fed & Vacuum-assist | | | | | | | | | | | | | | |
| Gerber | Ultra Flush EL ADA (rear discharge) | 21-325: 21-375 bowl, 28-380 tank | 1,000 | 2 | - | | E | * | | | * | R | F | |
| Gerber | Ultra Flush RF | 21-300: 21-342 bowl, 28-385 tank | 900 | 2 | - | | R | | | | * | | F | |
| Gerber | Ultra Flush RF | 21-304: 21-342 bowl, 28-384 tank | 900 | 2 | - | | R | | | | * | | F | |
| Gerber | Viper EL | 21-510: 21-562 bowl, EH28-595 tank (pedestal flush valve) | 800 | 2 | 2 | | E | | * | | | | F | |
| Gerber | Viper EL | 21-512: 21-562 bowl, EH28-590 tank (pedestal flush valve) | 800 | 2 | 2 | | E | | * | | | | F | |
| Gerber | Viper EL | 21-512: 21-562 bowl, EH28-592 tank (pedestal flush valve)(insulated) | 500 | 2 | 2 | | E | | * | | | | F | |
| Gerber | Viper EL | 21-514: 21-562 bowl, EH28-594 tank (pedestal flush valve) | 500 | 2 | 2 | | E | | * | | | | F | |
| Gerber | Viper EL ADA | 21-517: 21-528 bowl, EH28-595 tank (pedestal flush valve) | 800 | 2 | 2 | | E | * | * | | | | F | |
| Gerber | Viper EL ADA | 21-518: 21-528 bowl, EH28-590 tank (pedestal flush valve) | 800 | 2 | 2 | | E | * | * | | | | F | |
| Gerber | Viper EL ADA | 21-518: 21-528 bowl, EH28-592 tank (insulated) (pedestal flush valve) | 500 | 2 | 2 | | E | * | * | | | | F | |
| Gerber | Viper EL ADA | 21-524: 21-528 bowl, EH28-594 tank (pedestal flush valve) | 600 | 2 | 2 | | E | * | * | | | | F | |
| Gerber | Viper RF | 21-500: 21-552 bowl, EH28-595 tank (pedestal flush valve) | 500 | 2 | 2 | | R | | * | | | | F | |
| Gerber | Viper RF | 21-502: 21-552 bowl, EH28-590 tank (pedestal flush valve) | 600 | 2 | 2 | | R | | * | | | | F | |
| Gerber | Viper RF | 21-502: 21-552 bowl, EH28-592 tank (insulated) (pedestal flush valve) | 600 | 2 | 2 | | R | | * | | | | F | |
| Gerber | Viper RF | 21-504: 21-552 bowl, EH28-594 tank (pedestal flush valve) | 500 | 2 | 2 | | R | | * | | | | F | |
| Globe Union Canada | StoneHouse EL | C220672 (one-piece) | 350 | 1 | 2 | | E | | * | | | | F | |
| Home Depot - Glacier Bay (by Niagara) | All-In-One RF ADA | SKU 303-635: 303-635 bowl, 140-911 tank | 1,000 | 2 | - | * | R | * | * | | | | F | |
| Home Depot - Glacier Bay (by Niagara) | Glacier Bay - EL ADA (Flapperless) | SKUs: 382-298 bowl, 382-438 tank | 400 | 2 | - | | E | * | * | | | | F | |
| Home Depot - Pegasus | Colonade EL ADA | SKUs: 146-548 bowl, 146-283 tank (lined) | 500 | 2 | 3 | | E | * | * | | | | F | |
| Home Depot - Pegasus (by Niagara) | Westminster EL ADA | 160-753 bowl, 164-146 tank | 600 | 2 | 3 | | E | * | * | | | | F | |
| Jacuzzi | Era Collection EL ADA | BK37959 (sold as a set) | 800 | 2 | 3 | | E | * | * | | | | F | |
| Jacuzzi | Era Toilet "in a box" EL ADA | BK37959 | 1,000 | 2 | 3 | | E | * | * | | | | F | |
| Jacuzzi | Maxima EL ADA | DP55959 bowl, EL61959 tank | 1,000 | 2 | 3 | | E | * | * | | | | F | |

KEY:
Flush performance (MaP score)

350 grams to 475 grams

500 grams and more

Type of toilet fixture

Pressure- or power-assist

Gravity-fed & Vacuum-assist

| Make | Model Name | Model Number | MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush) | 1-piece or 2-piece model | Flush Valve-Flapper size (in.) | No flapper / Non-traditional flapper | Round Front (R) or Elongated (E) bowl | ADA-Comfort Height-Right Height Bowl | 1.6G (6L) Gravity-flush | 1.6G (6L) Vacuum-Assist | 1.6G (6L) Pressure-Assist | Rear Discharge | Floor-Mounted (F) OR Wall-Mounted (W) |
|---------|-----------------------------------|---|--|--------------------------|--------------------------------|--------------------------------------|---------------------------------------|--------------------------------------|-------------------------|-------------------------|---------------------------|----------------|---------------------------------------|
| Jacuzzi | Perfecta RF ADA | BN31959 (sold as a set) | 800 | 2 | 3 | | R | * | * | | | | F |
| Jacuzzi | Perfecta RF ADA (toilet in a box) | EZ33959 (sold as a set) | 1,000 | 2 | 3 | | R | * | * | | | | F |
| Kohler | Archer EL ADA | K-3517: 4295 bowl, 4493 tank | 800 | 2 | 3 | | E | * | * | | | | F |
| Kohler | Bancroft Comfort Height EL ADA | K-3487: 4281 bowl, 4633 tank | 800 | 2 | 3 | | E | * | * | | | | F |
| Kohler | Barrington Pressure Lite EL | K-3554: 4327 bowl, 4645 tank | 1,000 | 2 | - | * | E | | | * | | R | F |
| Kohler | Cimarron Comfort Height EL ADA | K-3489 | 800 | 1 | 3 | | E | * | * | | | | F |
| Kohler | Cimarron EL | K-3499: 4285 bowl, 4634 tank (option at 1.4-gal) | 600 | 2 | 3 | | E | | * | | | | F |
| Kohler | Cimarron EL ADA | K-3496: 4286 bowl, 4634 tank - NOTE: this fixture is also sold as K-11466 when included as part of the "COMPLETE SOLUTION" package. | 800 | 2 | 3 | | E | * | * | | | | F |
| Kohler | Cimarron RF ADA | K-3497: 4287 bowl, 4634 tank - NOTE: this fixture is also sold as K-11465 when included as part of the "COMPLETE SOLUTION" package. | 800 | 2 | 3 | | R | * | * | | | | F |
| Kohler | Devonshire EL ADA | K-3503: 4288 bowl, 4708 tank | 1,000 | 2 | 3 | | E | * | * | | | | F |
| Kohler | Gabrielle EL ADA | K-3513 (one-piece) | 800 | 1 | 3 | | E | * | * | | | | F |
| Kohler | Highline EL ADA | K-3611: 4298 bowl, 4632 tank | 800 | 2 | 3 | | E | * | * | | | | F |
| Kohler | Highline Pressure Lite EL ADA | K-3493: 4304 bowl, 4645 tank | 800 | 2 | - | * | E | * | | * | | | F |
| Kohler | Kelston EL ADA | K-11452: F4306 bowl, F4474 tank | 1,000 | 2 | | | E | * | * | | | | F |
| Kohler | Memoirs Classic EL | K-3451 (Classic tank lid) | 800 | 1 | 3 | | E | | * | | | | F |
| Kohler | Memoirs Classic EL ADA | K-3515: 4294 bowl, 4491 tank; NOTE: this fixture is also sold as K-11461 when included as part of the "COMPLETE SOLUTION" package. | 1,000 | 2 | 3 | | E | * | * | | | | F |
| Kohler | Memoirs Classic RF ADA | K-3509: 4289 bowl, 4491 tank | 1,000 | 2 | 3 | | R | * | * | | | | F |
| Kohler | Memoirs Stately EL | K-3453 (Stately tank lid) | 800 | 1 | 3 | | E | | * | | | | F |
| Kohler | Memoirs Stately EL ADA | K-3526: 4294 bowl, 4492 tank; NOTE: this fixture is also sold as K-11460 when included as part of the "COMPLETE SOLUTION" package. | 1,000 | 2 | 3 | | E | * | * | | | | F |
| Kohler | Memoirs Stately RF ADA | K-3511: 4289 bowl, 4492 tank | 1,000 | 2 | 3 | | R | * | * | | | | F |
| Kohler | Portrait EL ADA | K-3506 (one-piece) | 1,000 | 1 | 3 | | E | * | * | | | | F |
| Kohler | Purist EL | K-3492 Power-Assisted | 800 | 1 | - | * | E | | | * | | | F |
| Kohler | Wellworth Class 5 EL | K-3574: 4293 bowl, 4632 tank | 1,000 | 2 | 3 | | E | | * | | | | F |
| Kohler | Wellworth Pressure Lite EL | K-3505: 4303 bowl, 4645 tank | 1,000 | 2 | - | | E | | | * | | | F |
| Kohler | Wellworth Class 5 RF | K-3576: 4299 bowl, 4632 tank | 800 | 2 | 3 | | R | | * | | | | F |

| Make | Model Name | Model Number | KEY: | | MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush) | 1-piece or 2-piece model | Flush Valve-Flapper size (in.) | No flapper / Non-traditional flapper | Round Front (R) or Elongated (E) bowl | ADA-Comfort Height-Right Height Bowl | 1.6G (6L) Gravity-flush | 1.6G (6L) Vacuum-Assist | 1.6G (6L) Pressure-Assist | Rear Discharge | Floor-Mounted (F) OR Wall-Mounted (W) |
|----------------------------------|-------------------------------|--|-------------------------------|-----------------------------|--|--------------------------|--------------------------------|--------------------------------------|---------------------------------------|--------------------------------------|-------------------------|-------------------------|---------------------------|----------------|---------------------------------------|
| | | | Flush performance (MaP score) | | | | | | | | | | | | |
| | | | Type of toilet fixture | | | | | | | | | | | | |
| | | | Type of toilet fixture | | | | | | | | | | | | |
| | | | 350 grams to 475 grams | 500 grams and more | | | | | | | | | | | |
| | | | Pressure- or power-assist | Gravity-fed & Vacuum-assist | | | | | | | | | | | |
| Mancesa/Ceralux | San Marino EL ADA | 2262 bowl, 2261 tank | 500 | 2 | 2 | | | F | * | * | | | | | F |
| Mancesa/Ceralux | Windsor RF | 2700 bowl, 2711 tank | 400 | 2 | 2 | | | R | | * | | | | | F |
| Mansfield | 705NS ONE-PIECE EL | 70501002 (one-piece) | 600 | 1 | 3 | | | F | | * | | | | | F |
| Mansfield | Magnum EL | 722 | 600 | 1 | 3 | | | F | | * | | | | | F |
| Mansfield | Maverick EL | 101 bowl, 109 tank (lined tank) | 1,000 | 2 | 3 | | | F | | * | | | | | F |
| Mansfield | Maverick EL ADA | 104 bowl, 109 tank (lined tank) | 1,000 | 2 | 3 | | | F | * | * | | | | | F |
| Mansfield | Montclair EL ADA | 107 bowl, 108 tank | 550 | 2 | 3 | | | F | * | * | | | | | F |
| Mansfield | None - EL | 144 bowl, 123 tank | 1,000 | 2 | - | | | F | * | | | * | R | W | |
| Mansfield | None - RF | 103 bowl, 109 tank | 400 | 2 | 3 | | | R | | * | | | | | F |
| Mansfield | Quantum EL | 147 bowl, 123 tank | 825 | 2 | - | | | F | | | | * | | | F |
| Mansfield | Quantum EL (rear discharge) | 149 bowl, 123 tank | 550 | 2 | - | | | F | | | | * | R | F | |
| Mansfield | Quantum EL ADA | 148 bowl, 123 tank | 925 | 2 | - | | | F | * | | | * | | | F |
| Mansfield | Quantum RF | 146 bowl, 123 tank | 850 | 2 | - | | | R | | | | * | | | F |
| Mansfield/Colceramica | Essence EL ADA | 184 bowl, 185 tank | 750 | 2 | 3 | | | F | * | * | | | | | F |
| Mansfield/Colceramica | Reo EL ADA | 186 bowl, 187 tank | 600 | 2 | 3 | | | F | * | * | | | | | F |
| Mansfield/Colceramica | Stafford EL | 105 bowl, 106 tank | 800 | 2 | 3 | | | F | | * | | | | | F |
| Niagara | Flapperless Muskoka EL ADA | N2217: 2217 bowl, 2217 tank | 600 | 2 | - | * | | F | * | * | | | | | F |
| Niagara | Flapperless Muskoka RF ADA | N2217R: 2217R bowl, 2217 tank | 600 | 2 | - | * | | R | * | | | | | | F |
| Niagara | Flapperless RF | N2216: 2216B bowl, 2216T tank | 725 | 2 | - | * | | R | | * | | | | | F |
| Niagara | Flapperless Superior EL | N2218 | 600 | 1 | - | * | | F | * | * | | | | | F |
| Niagara | Glacier Bay All-In-One RF ADA | Home Depot SKU 303-635: 303-635 bowl, 140-911 tank | 1,000 | 2 | - | * | | R | * | * | | | | | F |
| Niagara | None EL ADA | N2226: 2226B bowl, 2216T tank | 400 | 2 | - | * | | F | * | * | | | | | F |
| Porcher (American Standard) | EPIC EL | 97720 (one-piece) | 500 | 1 | 3 | | | F | | * | | | | | F |
| Porcher (American Standard) | L'Expression II | 97520 (one-piece) | 600 | 1 | 2 | | | F | | * | | | | | F |
| Porcher (American Standard) | Veneto II EL | 97220 (one-piece) | 800 | 1 | 3 | | | F | | * | | | | | F |
| Pro-Flo | None - EL | PF1301: PF1301 bowl, PF 4112 tank | 350 | 2 | 2 | | | F | | * | | | | | F |
| Pro-Flo | None - EL ADA | PF1303: PF1303 bowl, PF 4112 tank | 350 | 2 | 2 | | | F | * | * | | | | | F |
| Pro-Flo | None - RF | PF1300: PF1300 bowl, PF 4112 tank | 350 | 2 | 2 | | | R | | * | | | | | F |
| Pro-Flo (by Briggs for Ferguson) | Maelstrom EL | PF8200 bowl; PF8212 tank | 600 | 2 | 3 | | | F | | * | | | | | F |
| Pro-Flo (by Briggs for Ferguson) | Maelstrom EL ADA | PF8201 bowl; PF8212 tank | 600 | 2 | 3 | | | F | * | * | | | | | F |

KEY:
Flush performance (MaP score)

| |
|------------------------|
| 350 grams to 475 grams |
| 500 grams and more |

Type of toilet fixture

| |
|-----------------------------|
| Pressure- or power-assist |
| Gravity-fed & Vacuum-assist |

| Make | Model Name | Model Number | MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush) | 1-piece or 2-piece model | Flush Valve-Flapper size (in.) | No flapper / Non-traditional flapper | Round Front (R) or Elongated (E) bowl | ADA-Comfort Height-Right Height Bowl | 1.6G (6L) Gravity-flush | 1.6G (6L) Vacuum-Assist | 1.6G (6L) Pressure-Assist | Rear Discharge | Floor-Mounted (F) OR Wall-Mounted (W) |
|----------------------------------|-------------------------------------|--|--|--------------------------|--------------------------------|--------------------------------------|---------------------------------------|--------------------------------------|-------------------------|-------------------------|---------------------------|----------------|---------------------------------------|
| Pro-Flo (by Briggs for Ferguson) | Maelstrom RF | PF8203 bowl; PF8212 tank | 400 | 2 | 3 | | R | | * | | | | F |
| Quality Craft | Alexis ULF Toilet in a Box - EL ADA | 30012K: 3001 bowl, 3002 tank (insulated) | 950 | 2 | 3 | | E | * | * | | | | F |
| Quality Craft | None - EL ADA | 3001/3002 (insulated tank) | 950 | 2 | 3 | | E | * | * | | | | F |
| RAK Ceramics | Compact Syphonic EL ADA | CT30 bowl, CT65 tank | 650 | 2 | 3 | | E | * | * | | | | F |
| RAK Ceramics | Washington Syphonic EL | 171 bowl, WT20 tank | 600 | 2 | 3 | | E | | * | | | | F |
| RAK Ceramics | Windsor EL | WE20 bowl, W120 tank | 1,000 | 2 | 3 | | E | | * | | | | F |
| Toto | Drake EL | CST744S: C744S bowl, ST743S tank | 900 | 2 | 3 | | E | | * | | | | F |
| Toto | Neorest EL | 600 | 700 | 1 | - | * | E | | | | * | | F |
| Toto | Plymouth EL | 924 | 675 | 1 | 3 | | E | | * | | | | F |
| Toto | Ultimate RF | 853 | 400 | 1 | 3 | | R | | * | | | | F |
| Toto | Ultramax EL | 854xxxS | 700 | 1 | 3 | | E | | * | | | | F |
| Tynan Plumbing | MacLair EL | 4313: 0313 bowl, 1330FET3 tank | 1,000 | 2 | 3 | | E | | * | | | | F |
| Tynan Plumbing | MacLair RF | 4312: 0312 bowl, 1330FET3 tank | 1,000 | 2 | 3 | | R | | * | | | | F |
| Villeroy & Boch | Strada EL | 5W00-01: 5C00-01 bowl, 5D01-U1 tank | 1,000 | 2 | 3 | | E | | * | | | | F |
| Vitra | Altantis EL | 5051 bowl, 6853 tank | 750 | 2 | 2 | | E | | * | | | | F |
| Vitra | Altantis RF | 5050 bowl, 6853 tank | 800 | 2 | 2 | | R | | * | | | | F |
| Vitra | Atlantis EL ADA | 5052 bowl, 6853 tank | 600 | 2 | 2 | | E | * | * | | | | F |
| Vitra | Corina Comfort EL ADA | 5232 bowl, 5070 tank | 1,000 | 2 | 3 | | E | * | * | | | | F |
| Vitra | Corina EL | 5069 bowl, 5070 tank | 850 | 2 | 3 | | E | | * | | | | F |
| Vitra | Corina EL (one-piece) | 5178 | 750 | 1 | 3 | | E | | * | | | | F |
| Vitra | Corina RF | 5068 bowl, 5070 tank | 825 | 2 | 3 | | R | | * | | | | F |
| Vitra | Corina RF (one-piece) | 5209 | 850 | 1 | 3 | | R | | * | | | | F |
| Vitra | Mona EL | 4117 bowl, 4015 tank | 800 | 2 | 3 | | E | | * | | | | F |
| Vitra | Riva EL | 4117 bowl, 6952 tank | 700 | 2 | 3 | | E | | * | | | | F |
| Vitra | Serenada EL ADA | 4219-003-5265 | 800 | 1 | 3 | | E | * | * | | | | F |
| Vortens-Lamosa | Rhodas EL ADA | 3123V bowl, 3436SPS tank | 600 | 2 | 2 | | E | * | * | | | | F |
| Vortens-Lamosa | Taza Vienna RF (Lined) | 3208 bowl, 3464-S tank (lined) | 550 | 2 | 2 | | R | | * | | | | F |
| Vortens-Lamosa | Taza Vienna RF (Unlined) | 3208 bowl, 3464-R tank (unlined) | 600 | 2 | 2 | | R | | * | | | | F |
| Vortens-Lamosa | Vienna L EL (pilot fill valve) | 3113-3464: 3113 bowl, 3464 tank (or T464R) | 800 | 2 | 2 | | E | | * | | | | F |
| Vortens-Lamosa | Vienna RF | 3208 bowl, 3436SPS tank | 500 | 2 | 2 | | R | | * | | | | F |
| Vortens-Lamosa | Vienna Victory RF | 3209 bowl, 3464 tank | 800 | 2 | 2 | | R | | * | | | | F |

| Make | Model Name | Model Number | KEY: Flush performance (MaP score) | | MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush) | 1-piece or 2-piece model | Flush Valve-Flapper size (in.) | No flapper / Non-traditional flapper | Round Front (R) or Elongated (E) bowl | ADA-Comfort Height-Right Height Bowl | 1.6G (6L) Gravity-flush | 1.6G (6L) Vacuum-Assist | 1.6G (6L) Pressure-Assist | Rear Discharge | Floor-Mounted (F) OR Wall-Mounted (W) |
|-----------------|-------------------|-------------------------------------|---------------------------------------|--------------------|--|--------------------------|--------------------------------|--------------------------------------|---------------------------------------|--------------------------------------|-------------------------|-------------------------|---------------------------|----------------|---------------------------------------|
| | | | 350 grams to 475 grams | 500 grams and more | | | | | | | | | | | |
| | | | Type of toilet fixture | | | | | | | | | | | | |
| | | | Pressure- or power-assist | | | | | | | | | | | | |
| | | | Gravity-fed & Vacuum-assist | | | | | | | | | | | | |
| Vortens-Lamosa | Vienna Victory RF | 3209 bowl, 3464-C tank | | | 500 | 2 | 2 | | R | | * | | | | F |
| Western Pottery | Wrangler EL | 432PF: B432PF bowl, T4ULF-PF tank | | | 1,000 | 2 | - | | E | | | | * | | F |
| Western Pottery | Wrangler EL ADA | 472PF: B472PF bowl, T4ULF-PF tank | | | 1,000 | 2 | - | | E | * | | | * | | F |
| Zurn | EcoVantage EL | Z5570 | | | 800 | 2 | - | * | E | | | | * | | F |
| Zurn | EcoVantage EL ADA | Z5551: Z5551 bowl, Z5551 tank | | | 900 | 2 | 3 | | E | * | * | | | | F |
| Zurn | EcoVantage EL ADA | Z5560 | | | 1,000 | 2 | - | * | E | * | | | * | | F |
| Zurn | EL | Z-HPT/Z5552: Z5552 bowl; Z5551 tank | | | 1,000 | 2 | 3 | | E | | * | | | | F |

RF – Round-front toilet bowl

EL – Elongated-front toilet bowl

S - Special bowl design

ADA-Meets bowl-height requirements of Americans with Disabilities Act; does NOT imply that fixture meets any other ADA requirements.