



**Hillsborough
County Florida**

PUBLIC WORKS

PO Box 1110 Tampa, FL 33601-1110
(813) 272-5912 | Fax: (813) 272-5811

TRANSPORTATION TECHNICAL MANUAL BULLETIN 18-01

Date: March 19, 2018


Subject: Use of 3000 PSI concrete mix on inlet throats.

Summary: This Bulletin provides notice that Inlet throats may be poured in place simultaneously with curb using 3000 psi compressive strength mixes.

Specifics: Replace Note 8, "Concrete shall have a minimum 28 day compressive strength, FC = 4000 PSI" on Sheet 1 of 14 of Drawing No. TD-18, Type I, II and III Inlets, General Notes of the Transportation Technical Manual October 2017 with the following:

Concrete shall have a minimum 28 day compressive strength of 4000 PSI. However, when the inlet throat is poured simultaneously with the curb, a concrete mix with a minimum compressive strength of 3000 PSI at 28 days may be used for the throat.

Please contact Richard Sanders at 307-1840 if you have questions regarding this bulletin.


Michael J. Williams, P.E. County Engineer

03/19/18
Effective Date

**BOARD OF COUNTY
COMMISSIONERS**

Victor D. Crist
Ken Hagan
Al Higginbotham
Pat Kemp
Lesley "Les" Miller, Jr.
Sandra L. Murman
Stacy R. White

COUNTY ADMINISTRATOR

Michael S. Merrill

COUNTY ATTORNEY

Chip Fletcher

INTERNAL AUDITOR

Peggy Caskey

**CHIEF DEVELOPMENT &
INFRASTRUCTURE SERVICES
ADMINISTRATOR**

Lucia E. Garsys